

HANSER

Stichwortverzeichnis

Polymer Testing

Translated by Paul I. Anderson

Herausgegeben von Wolfgang Grellmann, Sabine Seidler

ISBN (Buch): 978-1-56990-548-7

ISBN (E-Book): 978-1-56990-549-4

For further information and order see

<http://www.hanser-fachbuch.de/978-1-56990-548-7>

or contact your bookseller.

Subject Index

A

- Abbe* refractometer 306, 310
- abrasion 183, 207
- ABS/CF composite 345
- absorbance 312
- absorptance 320
- absorption 90, 98, 253, 271, 295, 319, 432, 436, 478, 482, 589, 592
- absorption coefficient 98, 434
- acceleration (gravity) 151
- acceleration load 252, 607
- acceleration voltage 434
- accreditation 9, 603
- acoustic bond-testing 468
- acoustic emission 235, 467, 484, 499, 501, 623, 625
- acoustic emission analysis 123, 498, 509, 624
- acoustic emission test 499, 623
- acoustic emission transducer 623
- acoustic impedance 456, 462, 481
- acrylonitrile-butadiene-styrene 23, 121, 148, 153, 184, 190, 200, 272, 345, 353, 392, 502, 568, 603
- activation energy 46, 358, 402, 425
- adhesion 42, 157, 194, 207, 214, 523, 534,
- adjustment 10
- admittance 362, 469
- AFM topography 650
- ageing 91, 109, 297, 333, 338, 347, 371, 601, 619
- ageing process 399, 602
- air-ultrasound 462, 465, 472, 475
- alternating current conductivity 360
- alternative span test 613
- Amici-Bertrand* lens 317, 334
- amplitude 92, 254, 256, 310, 364, 368, 432, 447, 451, 453, 456, 460, 464, 475, 481, 486, 624
- amplitude reflection coefficient 456
- angle of diffraction 305
- angle of repose 41
- angle of scatter 438
- angle specimen 129
- angular frequency 69, 92, 341, 364, 366
- anisotropic fiber composite 525
- anisotropic material 134, 144, 188, 309, 311, 518
- anisotropy 7, 20, 23, 25, 28, 29, 31, 33, 186, 302, 311, 314, 316, 334, 451, 452, 460, 464, 484, 513, 601
- anisotropy change 315
- anisotropy state 315, 317
- application temperature 277, 405, 569
- aramid-fiber 209, 520
- Arrhenius* equation 46, 82, 87, 102, 358, 425, 427, 602, 619
- A-scan 458, 461
- ashing 600
- atomic force microscopy 651, 653
- atomic number 434, 436
- attenuated total reflexion ATR 333
- attenuation coefficient 432
- auto-ignition 575
- auto-ignition temperature 576
- automated bridge 363
- Avogadro* number 357
- axial moment of inertia 132
- axial shear strength 618

B

Bagley diagram 60
 ball indentation hardness 184, 187, 192
Barcol hardness 184, 190, 599
Barus effect 60
 basic dispersion 309
 basic testing methods 595
Becke line 307
Bell telephone test 391
 bend test 138, 144, 505, 530, 546
 bending moment 139, 164, 180, 532, 534, 547, 549, 566
 bent strip method 389, 391, 393, 395, 397, 428
Bingham body 44
 birefringence 32, 198, 309, 311, 314, 317, 319, 324
 bitumen 296
 blunting line 245, 507
 blunting of the crack tip 243, 250, 403, 424, 507
 BMI/CF composite 558
 Boeing compression test 7, 529
 Boeing open-hole compression test 554
Boltzmann number 80, 357, 426
Boltzmann superposition principle 85
 branching 403, 407
 breakdown voltage 339, 370
 bridge procedures 348
 bright-field illumination 327
 brightness 322, 329, 446
 brittle-to-tough transition 153, 262

- unstable 263, 274, 277
- stable 276

 broad band X-radiation 433
 brooming 528
 B-scan 456
 buckling 132, 166, 528, 530, 554, 606
 bulk density 40
 bulk material 40
 burn marks 597
 burst 486, 604, 608

burst pressure test 608

C

C fiber 519, 552
 calibration 10, 20, 361, 367, 610
 CAMPUS database 13, 16, 154
 cap strip 27, 115, 173, 522, 525, 528, 530, 537
 capillary rheometer 48, 55
 carbon black content 280, 299, 321, 338, 360, 385, 509, 571
 carbon fiber 519, 524, 527, 552
 carbon-fiber reinforced polymer 167, 524
Carreau model 44
 casting of specimen 27
Celanese test method 7, 530
 cellulose acetobutyrate 371
 cellulose triacetate 371
 CFC 167, 523, 527
 CFC laminate 438, 448, 454, 459, 465, 476, 482, 484, 546
 characteristic level 490
 charge limit 339
 charging effect 349, 370
Charpy configuration 150
Charpy impact strength 151, 154, 387
Charpy impact test 150, 152, 154, 234, 251, 261, 265, 269
 chemical active agent 388
 chemical resistance 388, 608
 chlorinated PVC 237, 239, 241, 258, 603, 605
 CIE diagram 325
 climate resistance 335, 610
 climate-vibration-inner pressure test 609
 climbing drum peel test 555
 clip gauge 112, 119, 523
 closed-loop systems 65, 127
 coaxial cylinder rheometers 53
 coaxial reflectometry 367
 coefficient of friction 206, 213, 214, 216, 218

- coefficient of thermal conductivity 289
cohesion energy density 412
Cole/Cole function 355
Cole/Davidson function 355
color 304, 309, 322, 325
color change 330, 336
color difference 325, 328, 336
color measurement 325
color recognition 327
combustion 295, 524, 572, 574
combustion cycle 575
compacted apparent density 40
comparative stress 604, 606,
comparative stress hypothesis 281
complex dielectric function 340, 342, 351,
356, 361, 363
complex modulus 92
complex permittivity 339, 360
complex specific conductivity 342
compliance 78, 84, 91, 94, 110, 112, 122,
126, 254, 546, 548, 550
compliance tensor 78
component defect 439, 448, 450, 463, 477,
481
component testing 594, 605, 610
composite strength 525
compression 130
compression after impact test 514, 557, 562
compression loading 130, 137, 171, 181,
201, 528, 532, 539, 554
compression modulus 79, 134
compression molding 15, 18, 26, 385, 594
compression test 130, 528, 530, 554
compressive cyclic loading 171
compressive strain at compressive strength
136
compressive strength 135
compressive stress 132, 135, 162, 201
compressive stress at yield 135, 136, 201,
202
compressive stress–compressive strain
curve 133, 135, 181
compressive yield strain 136
compton backscatter 436
conditioning 26, 33, 170, 351, 602
cone calorimeter 580, 587, 590
cone-plate rheometer 51
confocal laser scan microscopy 441
constant current method 348
constant voltage method 348
constraint factor 243, 245
contactless strain measurement 123, 245,
498, 500, 502, 505, 510, 523, 637
continuous-use temperatures 570
contour line 442, 444, 447
cooling contraction 23, 145, 602
core-shell structure 32, 274
correspondence principle 87
corrosion 207, 385, 397, 431, 619, 624
Couette measurement system 48, 50, 54
coupling agent 16, 266, 270, 272, 499, 503
crack blunting 245, 249, 250
crack growth 240, 242, 245, 248, 250, 252,
267, 270, 276, 398, 400, 403, 418, 422,
426, 507, 545
crack growth rate 398
crack initiation
– physical 242, 245, 250, 270, 506, 509
– technical 245, 272, 274
crack length 236, 239, 243, 267, 421, 545,
548, 550, 635, 644
crack modes 236, 544
crack opening 237, 240, 259, 498, 507, 509,
544, 646, 648, 650
crack orientation 439
crack propagation
– unstable 233, 236, 241, 252, 277,
399,
– stable 239, 245, 249, 263, 271, 274,
397, 399, 426, 545
crack propagation energy 253, 263, 265,
269, 278
crack propagation rate 151, 397, 399, 406,
418
crack resistance behavior 271

- crack resistance (R-) curve concept 245
 crack resistance (R-) curve
 – E/P copolymer 271
 – carbon black filled elastomers 509
 – iPP blend 507
 – PP/EPR/PE blends 274, 276
 – TPU/ABS blends 272
 crack safety criterion 237
 crack tip 151, 235, 237, 239, 241, 242, 245, 248, 250, 257, 273, 399, 401, 403, 414, 418, 424, 506, 508, 518, 547, 549, 651, 653
 crack tip deformation 242, 507
 crack-tip-opening displacement 234, 240, 242, 246, 261, 266, 270, 508, 651
 crack tip singularity 257
 crack toughness 153, 234, 236, 277, 519, 543, 546
 craze formation 421
 craze front 424
 craze growth 422
 craze growth rate 422
 craze length 421
 craze mechanism 137
 craze structure 419, 421
 crazes 89, 106, 233, 250, 391, 402, 404, 408, 421
 creep behavior 16, 24, 85, 172, 176
 creep coefficient 615
 creep compression curve 181
 creep compression test 181
 creep current resistance 339, 374
 creep curve 174, 177, 178, 181, 418
 creep diagram
 – flexure 181
 – tensile 175
 creep J^* -integral 397, 399
 creep modulus 175, 181, 183
 creep modulus curve
 – bending 180
 – compression 181
 – tensile 174, 177
 creep rate 175
 creep test 34, 91, 173, 613
 creep–time curves 74
 creep-trace 374
 criteria for evaluating quality 600
 critical crack opening 242, 259
 critical crack-tip-opening 241, 261
 – impact 260
 – static 260
 critical strain 391, 394, 415, 417, 500
 cross-head speed 115, 126, 142, 145, 538, 546, 550, 553, 556
 crosslink density 80, 287
 crosslinking 404
 crystallinity 16, 22, 33, 103, 109, 205, 219, 288, 331, 394, 404, 408
 C-scan 459, 462, 467, 557
 CT specimen 238, 241, 247, 249, 397, 398, 500, 645, 652, 656
 CTOD concept 240, 242, 245, 247, 259, 261, 653
 Curie temperature 295
 curing 19, 288, 295, 302, 338, 451, 454, 469, 567
 curing state 454, 569
 cutting shaping 27, 29
 cyclic loading 161, 171, 248, 473, 485, 557
- D**
 δ - Δa curve 246, 507
 damage 4, 28, 105, 514
 damage area 240, 557, 559
 damage characteristic 159
 damage kinetics 498, 571, 624
 damage mechanism 106, 490, 498, 500
 damage resistance 557
 damage tolerance 518, 556, 558
 damping 288, 432, 458, 481
 damping behavior 94
 dampness 336, 369, 620
 dark-field illumination 327
 DCB specimen 544, 550, 552
 Debye equation 289, 454

- Debye* function 289, 354, 356
decomposition 287, 296, 298, 300, 574
decomposition temperature 574
defect density 123
defect location 467, 490
defectoscopy 498
defect-selective imaging 475, 478, 486, 488
deflection–time signal 507
deformation (energy-, entropy-elastic, viscous) 24, 77, 79, 80, 89, 100, 105
deformation area 519
deformation behavior 79, 104, 106, 109, 111, 117, 120, 123, 137, 142, 197, 499, 501, 503, 508, 622, 627, 629, 638, 640
deformation energy 161, 195, 233, 243, 253, 256, 258, 265, 275, 278
deformation field 123, 142, 447, 505, 508, 643, 655
deformation mechanism 89, 106, 127, 137, 235, 266, 424, 571
deformation model 235, 267
deformation process 80, 89, 109, 118, 250, 388, 501, 507
deformation rate 45, 68, 81, 404, 418
deformation state 76, 78, 392, 443, 445, 508
deformation tensor 78
deformation velocity 80, 277
deformation work 197, 499
degradation behavior 299
delamination 143, 161, 293, 436, 448, 450, 459, 466, 472, 476, 479, 487, 514, 540, 547, 553
delamination length 547
density 32, 40, 254, 289, 292, 357, 393, 395, 407, 434
density measurement 17, 22, 33
DENT specimen 277
depolarization 363
depolymerization 298, 387, 574
desorption 295
deviation in dimension 599
dichroism 325
dielectric loss 339, 352, 355, 490
dielectric loss angle 453
dielectric measurement technique 360, 454
dielectric permittivity 340, 353
dielectric properties 6, 367, 369
dielectric spectroscopy 360, 453, 490
dielectric susceptibility 340
dielectric test 235
dielectrometry 498, 601
differential scanning calorimetry 33, 288, 293, 296
diffraction 304, 311, 334
diffraction index 305
diffraction quotient 305
diffuse reflectance 320, 322, 329, 336
diffusion equilibrium 400
diffusion process 290, 423
diffusion rate 404, 419, 422, 578
digital gray-value correlation analysis 649, 651, 653
digital image correlation 643, 649
dilatational component 75
dimension test 596
dimensioning 7, 32, 107, 280, 406, 497
dipole moment 357
disentanglement 46, 101, 401, 403, 405, 407, 409, 422, 424
dispersion 304, 306, 309
displacement dilatometer 301
distributed circuit method 361
DOW test 391
draw ratio 45
drawn-out length 403, 405, 419
drop test 261, 608
D-Scan 459, 462, 466
Dugdale crack model 240
dynamic heat transport 478
dynamic viscosity 58
dynamic–mechanical analysis 90, 92, 94
dynamic–mechanical–thermal analysis 92, 288
Dynstat configuration 150

E

E/P copolymer 201, 270
 ease of extinction 588
 eddy current test 455
 edge delamination test 553
 edge delamination toughness of a laminate 553
 effective crack length 267
 eigenfrequency 95, 432, 466, 470, 489
 elastic behavior 77
 elastic deformation 105
 elastic indentation modulus 197
 elastic modulus 108, 513
 – bend test 143, 532, 547
 – compression test 133
 – dynamic 572
 – static 108, 525
 – tensile test 108, 116, 121
 elasticity tensor 78
 elastic wave 289, 292, 456, 467, 472
 elastic–plastic fracture mechanics 234, 246, 282
 elastomers 28, 31, 77, 128, 277, 508
 electric arc resistance 339
 electric resistance 342
 electric strength 339, 370, 372
 electrical conductivity 338, 339, 342, 371, 449, 455, 481, 484
 electrical field strength 339, 343, 369, 372
 electrode arrangement 343
 electrode polarization 340, 351
 electromagnetic wave 367, 433, 481
 electronic speckle-pattern interferometry 123, 444
 electro-servo hydraulic test system 165
 electrostatic charge 339, 349, 368
 elongation with necking 124
 elongation without necking 124, 126
 elongational viscosity 45, 69, 81
 emission coefficient 445, 482
 emission test 605
 emissivity 500

energy balance 254
 energy elasticity 77, 79
 energy release rate 244, 267, 282, 518, 544, 546, 548, 550, 553, 555
 energy–time diagram (free-falling dart test) 160
 enthalpy change 586
 entropy elasticity 79
 entropy-elastic strain 24
 environmental stress cracking resistance 7, 37, 138, 385, 388, 390, 392, 395, 399, 404, 406, 409, 413, 422, 424, 571
 EP/CF composite 529, 552, 558
 EP/GF composite 327, 536, 552
 EPDM 273, 299
 epoxy resin 26, 122, 312, 359, 518, 568, 642, 645
Ericksen hardness test bar 191
Euler stability 132
 extensional rheometer 66
 extinction coefficient 594
 extrusion meter 65
Eyring equation 81, 89

F

fadeometer 335
 failure probability 491
Faraday effect 311
 fatigue 161, 167, 170, 207
 fatigue fracture 607, 640
 fatigue limit 170
 fatigue strength 34, 162
 fatigue test 163, 165, 167, 169
 FE mesh 257
 fiber bridging effect 519
 fiber composite 6, 105, 138, 169, 267, 438, 454, 513, 518, 524, 528, 532, 543, 552
 fiber orientation 31, 170, 205, 303, 327, 438, 451, 455, 460, 464, 473, 484
 fiber pull-out 267, 270
 fiber volume content 147, 170, 215, 267, 450, 454, 472, 505, 513, 524, 570

- fiber-matrix coupling 504, 517, 526
fiber-matrix interface 267, 269, 438, 456,
461, 518, 525, 557
fiber-reinforced polymers/plastics 110, 130,
151, 161, 167, 170, 569, 596
fibril 402, 417, 419, 421, 508
fill factor 40
filler 16, 33, 108, 214, 249, 253, 263, 280,
303, 322, 644
filler content 170, 205, 215, 264, 288, 570
final charge 339, 369
finished part 26, 325, 389, 395, 451, 468, 596
finite element method 235, 257, 282, 516,
637, 655
fire behavior 573, 577
fire hazard 578, 581, 583, 586, 634, 674
fire resistance 577, 580, 588, 595
fire-determining parameter 575
flame ionization detector 610
flame spread 582, 584, 586
flame spread test 582
flammability 577, 582, 585
flammability test 578, 582
flash-over 573
flat specimen 109, 164
flexural creep modulus 181
flexural creep test 180
flexural fatigue test 163
flexural loading 138, 172, 532, 534
flexural modulus 142, 146, 532, 547, 572
flexural stiffness 139, 155, 194, 532
flexural strain at break 147, 180
flexural strain at flexural strength 147
flexural strength 146, 567
flexural stress at break 147, 532
flexural stress at conventional deflection
147
flexural stress-peripheral fiber strain 146,
148, 180
flexural vibration 97, 235
flexural vibration-resonance-curve method
97
flow curve 44
flow rate 56, 489
flowability 42, 570
fluid chamber 397
forced vibration 92, 161
force-path diagram (puncture impact test)
160
four-beam microspecimen 642
Fourier analysis 99, 364, 480
Fourier correlation analysis 363, 365, 367
Fourier transform infrared spectroscopy
332
Fourier transform rheology 88
Fourier transformation 332, 362, 446, 468,
475, 481, 488
four-point bend test 140, 531, 533
fracture 124, 146, 159, 233, 235, 247, 280,
441, 449, 489, 513, 520, 523, 527, 530
fracture criterion 237
fracture mechanics concepts 234, 256, 281,
518
fracture mechanics testing 233, 247, 251,
397, 406, 498, 506, 518, 543
fracture mechanics values
– fiber-reinforced composites 552
– polymers 269, 273
fracture mirror length 239, 267
fracture process 234, 240, 243, 259, 271,
499, 648
fracture strain (tensile strain at break) 120
fracture strength (tensile stress at break)
119
fracture surface 240, 242, 245, 251, 270, 505,
532, 600
fracture toughness (indentation test) 648
fracture toughness 233
– dynamic 251, 518
– static 247
fracture toughness measurements 233
free volume 47, 82, 303
free-falling dart test 9, 149, 158, 259
freely damped vibration 92
frequency 16, 69, 90, 96, 161, 170, 191, 309,

331, 338, 341, 352, 360, 365, 368, 374,
454, 482, 510, 601, 607, 622
frequency range 92, 97, 102, 252, 353, 360,
363, 367, 453
frequency response analysis 363, 453, 468
frequency response analyzer 365
frequency response monitoring 253
friction and wear 203
friction law 206
frictional heat 206
frictional parameter 207
functional test 596
functionality 172, 208, 495, 621, 623, 626,
629, 630, 637, 640, 646

G

gas emission 609
gauging 9
geometry criteria
– CTOD 243
– LEFM 239, 259, 639, 655
– J-integral 245, 647
geometry function 236, 645
geometry independence 259
GFC laminate 462, 464
GFC part 453
GFRP specimen 600
glass transition 100, 294, 301, 358, 371, 416,
565, 572
glass transition temperature 17, 24, 80, 216,
271, 288, 308, 358, 402, 417
glass-fiber content 267, 269, 454, 505, 570
gloss 304, 321
gloss difference 597
gloss height 322
gloss measurement 323
glued joint 468, 490, 544, 550
goniophotometer 322
gray-value correlation analysis 650

H

Hagen-Poiseuille relation 57
hairline crack 597

hardness 183
harmonic oscillation 475, 477
Havriliak/Negami equation 356
haze 304, 319, 321, 325, 330
haze dimension 330
heat capacity 288, 294, 296
heat conductivity equation 289
heat distortion resistance 565
– heat distortion temperature 22, 138,
198, 565, 568, 571, 573
– *Vicat* softening temperature 22, 565,
566, 568, 570
heat effects 118
heat flow 291, 294, 617
heat flux 576, 579, 584, 587, 592
heat penetration coefficient 290
heat release rate 580, 585, 587, 591, 593
heat source 574, 577, 579, 582, 586
heat transfer 289
heat transfer coefficient 290
heat transmittance 290
– coefficient of heat transmittance 290
heat-flow method 499
heat-flux calorimetry 293
heat-flux density amplitude 481
heat-flux thermography 478
heating rate 296, 302, 566
hemp-epoxy resin laminate 594
Hencky strain 45, 76
Hertzian stress 110
heterogeneity 503
hiding power 304, 319, 328
high-pressure capillary rheometer 55, 58
hole formation 508
holography 443
Hooke's law 78, 87, 105, 115, 142, 457
Hopkinson pressure bar 556
hot-storage test 599, 601
humidity 5, 16, 33, 91, 118, 170, 210, 298,
336, 346, 349, 369, 389
Huygens' law 304
hybrid methods of polymer diagnostics 4,
106, 497, 498, 504, 506, 510, 571

- hydrostatic creep rupture diagram 605
hydrostatic pressure 57, 620, 631
hydrostatic rupture strength 604, 606
hydrostatic rupture test 604, 606
- I**
- identification of polymers 295, 332
ignitability 577, 581
ignition 204, 368, 573, 576
ignition flame 582
ignition source 573, 576, 580, 583
ignition temperature 573, 576, 584
IITRI method 530
image sharpness 329
immersion method 305, 307
impact damage 439, 459, 469, 477, 483
impact energy 154, 156, 253, 261, 468, 520, 557, 559
impact load 149, 155, 159, 198, 202, 232, 241, 251, 258, 260, 263, 267, 271, 509, 519, 556, 558, 601, 630
impact load–deformation behavior 630
– rib cartilage 630
– schematic 251, 255
impact loading 149, 155, 251, 510, 519, 556, 558
impact strength 22, 152, 153
– Charpy 151, 153, 155, 265, 271, 281, 387
impact tester 150, 155, 158, 251
impact velocity 253, 255, 261, 277
impact-failure energy 158
impedance 184, 191, 254, 362, 456, 462, 468, 481
impedance analysis 363
impedance bridge 366
implant testing 621, 627
indentation depth 184, 186, 188, 193, 198, 566, 647
indentation hardness 196, 202
indentation modulus 197, 200
indentation work, elastic and plastic component 195
indenter 183, 185, 203, 647
indirect shaping 29
induced polarisation 339
inductive strain transducer 523, 532
inertia of base area 132
inertial load 252, 254, 256, 509
infrared camera 479, 499
infrared spectroscopy 17, 332
initial crack length 239, 267
in-plane failure 529
in-plane shear 536, 544
in-plane shear stress state 539
in-plane shock waves 556
in-situ deformation measurement with atomic force microscopy 651, 653
in-situ loading module 652
in-situ method 498
in-situ R curve 507
instrumented (notched) Charpy impact test 251
instrumented (notched) tensile-impact test 277, 280
instrumented falling-weight tester 262
instrumented free-falling dart test 160, 234, 261
instrumented hardness measuring device 194
instrumented hardness test 193, 195, 198, 203, 647
instrumented puncture impact test 159
insulation resistance 339, 343, 347, 363, 380
insulation resistance measurement 347
intensity attenuation 434
interface strength 525, 623, 625
interfacial failure 623
interfacial surface tension 413, 417
interference 304, 309, 314, 317, 324, 332, 349, 443, 446, 449, 456
interference microscopy 324
interferometer 445
interferometric methods 443
interlaminar crack propagation 544
interlaminar crack toughness 543, 546

- interlaminar fracture toughness 518, 561
interlaminare shear strength 110, 143, 534, 541, 561
internal angle of friction 40
internal friction 90
internal stress 19, 32, 303, 388, 525, 637
internal stress state 516
interparticle distance 273, 275, 285
intrinsic diffuse reflectance 321
IR radiation 592
IR spectrum 332
isochromatic line 313, 316
isoclinic line 313
Izod configuration 150, 153
- J**
J- Δa curve 245
J_R-curve 245
J-integral concept 243, 245, 248, 259
J-integral estimation methods of
– *Begley and Landes* 249, 256, 258, 285
– *Merkle and Corten* 256, 258, 285
– *Rice, Paris and Merkle* 249, 256, 284
– *Sumpter and Turner* 256, 258, 285
J value 244, 249, 256, 258, 260, 262, 264, 267, 270, 272, 276, 278
– static 260, 509
– impact 260
joint line 315, 451, 467, 504, 597, 601
- K**
K value 58, 244, 278, 290
Kirchhoff's hypothesis 517
Kirkwood/Froehlich correlation factor 357
Knoop hardness 186
Knoop indenter 184, 186
Kohrausch/Williams/Watts function 356
- L**
laboratory measuring extruder 65
Lamb wave 463, 465, 472
lamellae thickness 200
lamellae thickness distribution 199
laminate manufacturing 521
laminate theory 517
laser beam 247, 440, 442, 448, 502, 505, 510
laser double scanner 247
laser extensometry 498, 501, 503, 505, 642
laser holography 33
laser interferometry 123, 649
laser multiscanner 505
laser pulsing 291
laser scan microscope 441, 649
laser speckle interferometry 642
laser technology 334
laser vibrometer 470, 475, 477
laser-flash method 292
laser-generated ultrasound 466
lid-opening test 627
lifetime 491, 616
ligament 239, 273
light attenuation 591, 594
light microscopy 33, 185, 318, 327, 335, 507
light scattering 329, 331, 334, 386, 589
limited oxygen index 577
limiting temperature 26, 166, 602
line projection 442
linear analysis 524
linear-elastic deformation 105, 124, 172
linear-elastic fracture mechanic 234, 518, 640
linear-viscoelastic deformation 82, 105, 115, 124, 161, 174
liquid-crystalline polymer 130, 138, 295, 452
load cycles 163, 612
load ranges for instrumented hardness tests 193
load-controlled tensile test 127
load-crack-mouth-opening displacement 247
load-deflection curve 262, 550
load-deflection diagram 154, 248, 250, 253, 387, 546, 630, 645
– schematic 251, 255

– example 155, 387, 510
load–deformation diagram
(pull-through test) 627
load–extension diagram (push-out test) 623
load–indentation depth curve
– scheme 195
– nanohardness 648
– example 198
loading rate 34, 79, 89, 233, 239, 283, 418,
508, 647
load–load-line displacement curve 247
load–path diagram (creep test) 616
load–time diagram 128, 154, 254, 261, 277,
505
load–unload curve 545
local deformation 111, 118, 123, 501, 503,
505, 511, 642
lock-in thermography 482, 483, 485, 489,
495
logarithmic decrement 95, 98
longitudinal stress 538
longitudinal wave 99, 456
longitudinal/transversal strain 498
long-term behavior, static 171
long-term strength 604
long-term thermal behavior 602, 619
loss energy 161
loss factor 94, 98, 101, 104, 288, 352, 453
loss modulus 69, 93, 96, 99, 101
low-cycle fatigue strength 167
low-pressure capillary rheometer 55, 57
lumped circuit method 361

M

maleic acid hydride 157
Martens hardness 195
mass loss 580, 586, 588, 590, 593
mass loss calorimetry 586
master curve 86, 102
material selection 280
maximum load 146, 159, 195, 252, 256, 265,
270, 278, 623, 628, 641, 645, 647
maximum stress 162

Maxwell equation 340
Maxwell model 83, 341
Maxwell/Wagner/Sillars polarization 340,
351
mean stress 162
measurement of anisotropy 33
mechanical harmonic distortion factor 475
mechanical loss angle 489
mechanical models 82
mechanical spectroscopy 90, 288, 360
mechanical vibrometry 467
mechano dielectrometry 498
melamine–formaldehyde resin 26, 121, 138,
345, 568
melt elasticity 62
melt mass-flow rate 63, 394, 407
melt volume-flow rate 63
melt-flow index 17, 63
melt-flow index measurement 63
melting 17, 65, 206, 287, 294, 296, 353, 377,
565, 574
melting enthalpy 288
melting peak 296
melting temperature 288, 295, 565
memory effect 24
MFR value 63, 394, 407
micro crack 30, 207
microcomponent 637, 640, 644, 647, 655
microdamage 122, 497, 500
micrograph 279, 600
microhardness test 193, 200
micro-inhomogeneity 541
micro-*Moiré*-technique 642, 649
microstructure 205, 237, 239, 539, 549, 596,
638, 640
micro-tensile test 640, 655
micro-test specimen 642
microwave anisotropy 451, 453
microwave rastering technique 452
microwave technique 33, 461
miniaturized test specimen 637, 645, 647
minimum stress 162

mixed-mode loading 550
 mixed-mode specimen 549
 mode II fracture toughness 519, 552
 modes of loading 544
Moiré effect 443
Moiré method 649
Moiré stripe 442
 moisture 17, 18, 33, 41, 109, 182, 206, 219,
 336, 387, 498, 516, 523
 moisture content 34
 molecular friction coefficient 103, 403
 molded plastics parts 313, 596, 599, 610
 molding material 15, 26, 39, 106, 133, 150,
 347, 596
 molding material property 113
 molecular movement 426, 447, 591
 molecular orientation 89, 103, 187, 391,
 404, 409, 569
 molecular weight 15, 80, 103, 109, 387, 394,
 398, 403, 405, 407, 409, 418, 421, 426
 molecular weight distribution 15, 405, 407,
 418, 421
 morphology 15, 31, 33, 103, 109, 150, 185,
 194, 205, 235, 263, 270, 288, 327, 337,
 353, 389, 397, 407, 498, 627
 morphology parameter 265, 275, 501, 551
 multipurpose test specimen 21, 114, 144,
 390, 500
 MVR value 63

N

nanoindentation test 647, 655
 necking region 124
 neural network 217
Newtonian behavior 43, 45
Newtonian equation 43
Newtonian fluid 42, 54, 57
Nicol prism 312
 no. of waves 432
 non-destructive polymer testing 431, 433,
 446, 449, 456, 478, 483, 491, 498, 506
 non-linear material behavior 472
 non-linear vibrometry 475
 non-linear viscoelasticity 87
 non-*Newtonian* fluid 42, 45
 normal stress 73, 81, 92, 110, 131, 141
 normal stress coefficient 62
 normal stress difference 51, 69
 normal stress fracture 237, 516
 normalization 34
 notch radius 152, 236, 267, 540
 notch sensitivity 152
 notch tip 242, 397, 402
 notched *Charpy* impact strength 152, 155,
 265, 271, 281
 notched *Charpy* impact test 150, 154, 233
 notched tensile-impact strength 156
 notched tensile-impact test 155
 number of cycles until fracture 162, 166
 number of stress cycles 165, 167, 168

O

off-axis tensile test 536
Ohm's law 340, 342, 348
 online rheometer 65
 online quality assurance 316, 490
 open hole-compression test 554
 operating safety 490, 596, 638
 optical activity 310
 optical expansion measuring device 301
 optical extensometer 136, 523
 optical properties 304, 319, 327, 330, 336
 optical retardation 311, 315
 optical stress birefringence 312
 orange peel phenomenon 597
 orientation 15, 21, 25, 31, 89, 103, 109, 117,
 123, 129, 133, 144, 150, 170, 185, 193,
 205, 214, 302, 314, 325, 393, 404, 409,
 438, 451, 453, 455, 460, 464, 472, 502,
 517, 523, 525, 530, 538, 540, 557
 orientation polarization 339
 oscillation analysis 432, 468, 475
 oscillation period 93, 253
 osmotic pressure 413
 out-of-plane impact test 557

- out-of-plane shear 544
overload rupture 607
oxidative degradation 295, 297, 574
oxidative induction time 297
oxygen consumption method 586
- P**
- PA/CF composite 121, 345
PA/GF composite 21, 121, 128, 138, 148,
154, 167, 170, 190, 269, 345, 501, 504,
571
particle filled thermoplastics 263
particle size 273
PB-1/GF composite 155, 269
PBT/GF composite 148, 269, 467, 568
PC/GF composite 460
PE/BW composite 264, 269
PE/PP blend 272
PE/SiO₂ composite 264
PEEK 122, 568, 624
PEEK/CF composite 216, 552
PEEK/PTFE blend 215
peel angle 555
peel load 555
peel strength 554
peel strength of laminates 554
peel test 554, 556, 560
PE-HD/chalk composite 266, 400
PE-HD/GF composite 268
PE-HD/HP composite 264
PE-HD/NBR blend 157
Peltier elements 484, 500
peripheral fiber strain 142, 146, 148, 180, 390,
567, 569
peripheral fiber strain at break 147
permeation 421
permeation test 609
permissible strain 280, 569
permissible stress 280, 569
pin-impression method 389, 392, 397
photoelastic imaging 440
poly (butylene terephthalate) 122, 568
poly (ethylene naphthalate) 221, 353
poly (ethylene terephthalate) 2, 122, 154,
317, 337, 340, 344, 349, 359, 387, 413,
568, 621
poly (methyl methacrylate) 61, 121, 135,
138, 146, 148, 152, 154, 190, 200, 203,
312, 345, 352, 356, 397, 413, 465, 482,
568, 574, 621, 642, 644
poly (oxymethylene) 121, 148, 152, 154,
190, 200, 295, 297, 331, 333, 568
poly (phenylene oxide) 200, 413, 415
poly (phenylene sulfide) 214, 303
poly (vinyl chloride)
– PVC-P 121, 148, 154, 188, 200, 268,
278, 307, 337, 345, 353, 376, 413,
420, 477, 479, 482, 568, 621
– PVC-U 121, 148, 154, 190, 200, 203,
345, 568, 603, 605, 635
polyamide 121, 128, 154, 190, 218, 263, 269,
345, 353, 568, 571
polybutene 104, 413, 603, 605
polycarbonate 121, 148, 153, 154, 190, 200,
345, 371, 376, 411, 413, 415, 416, 420,
422, 460, 472, 474, 568, 621, 646
polyester 26, 27, 121, 371, 388, 506, 568
polyetheretherketone 122, 568, 624
polyethylene
– low density 61, 68, 108, 115, 121,
148, 154, 159, 160, 184, 190, 200,
333, 376, 407, 568
– high density 61, 108, 121, 148, 154,
180, 190, 200, 203, 213, 258, 264,
266, 268, 271, 376, 399, 404,
406, 408, 425, 568, 604
polyimide 376
polymer diagnostics/failure analysis 4, 123,
497
polymer dispersion 39
polymer processing 4, 11, 39, 89, 597
polymer/plastic component 3, 107, 161,
172, 177, 197, 235, 299, 617
polypropylene 25, 61, 121, 148, 154, 178,
190, 198, 200, 203, 237, 239, 243, 249,
258, 269, 276, 318, 323, 331, 345, 371,
376, 413, 420, 424, 460, 464, 472, 474,

- 568, 570, 603, 605, 621
- polystyrene 22, 61, 103, 104, 108, 117, 121, 135, 146, 154, 190, 200, 203, 314, 324, 337, 344, 345, 353, 372, 395, 402, 404, 408, 410, 413, 415, 417, 420, 423, 464, 568, 648
- polysulfone 413, 415, 646
- polytetrafluorethylene 138, 154, 181, 190, 200, 204, 208, 337, 340, 344, 349, 482, 621
- polyurethane 122, 138, 148, 345, 568, 619, 621, 628, 635
- polyvinylbutyrate 101, 102
- post-crystallization 109, 302
- pourability of bulk materials 42
- power compensation calorimetry 293
- power density 467
- power law by *Ostwald-De Waele* 44, 53, 55, 58
- PP/chalk composite 121, 154, 263, 264, 644
- PP/EPR blend 249, 273, 275
- PP/EPR/PE copolymer 273, 275
- PP/GF composite 121, 138, 148, 155, 190, 268, 270, 460, 464, 473, 570
- PP/talcum composite 121, 323, 568, 570
- PP-copolymer/GF composite 510
- PPS/GF composite 303
- prepreg 27, 165, 454, 466, 520, 522, 557, 596
- pressure flow-resistance curve 627
- pressure-vacuum test 611
- primary relaxation process 100, 301, 359
- primary valence bond 118, 287
- process shrinkage 599
- product liability law 10, 489
- production quality 569
- projection method by means of absorption 434
- proof tracking index 339, 376
- propagation time 432, 447, 457, 461, 466, 482
- property limit 602
- pure electrical breakdown 371
- PU foam (rigid PU foam) 612, 616
- pull-out 267, 270, 613, 616, 623
- pull-through test 627
- pulsating tensile stress 163
- pulse thermography 479, 483, 486
- pulse-echo method 98, 457, 459
- pulse-transmission technique 98
- punching 28, 599
- puncture impact test 158
- push-out test 623, 626
- PVC/chalk compound 121, 154, 264
- PVC/SiO₂ compound 264
- PVC-C 237, 239, 241, 243, 258, 603, 605
- pyrolysis 17, 575, 579, 586, 591, 594
- Q**
- quality assurance 65, 261, 295, 514, 532, 534, 536, 596, 603, 607
- quality management system 9
- quality features 596, 598, 603
- quartz glass 456
- quartz tube dilatometer 301
- quasi-static fracture mechanical experiments 247, 498, 507, 509
- quasi-static test method 104, 110
- R**
- radiant heat 580
- radiographic testing 434, 453
- radiography 33
- range for alternating stresses 162
- range for pulsating compressive stress 162
- rate of environmental stress cracking 420
- razor blade notch 152, 240, 248, 250, 277, 508
- rear surface echo 457, 459, 467
- reflection 304, 306, 310, 312, 319, 321, 333, 367, 432, 436, 450, 456, 459, 461, 476, 481
- reflection coefficient 367, 433, 456
- refraction 304, 311, 342, 433, 436, 438, 440, 446, 450
- refraction index 342, 433, 437, 439, 441, 450
- refraction value 438

- refractometer 305, 307, 310
relative humidity 34, 35, 336
relaxation behavior 83, 179, 195
relaxation mechanism 100, 107
relaxation modulus 83, 179, 180
relaxation processes 90, 100, 102, 351, 353, 356, 392
relaxation time 62, 83, 89, 100, 354, 356
relaxation time spectrum 62, 83, 90, 100
relaxation-controlled crack growth 403
reliability test 282, 637
residual compression strength 519, 558
residual fracture area 240
residual strain 394
residual strength 394, 468, 557
resin injection molding 521
resonance frequency 96, 98
resonance oscillation 97
retardation 24, 82, 84, 86, 90, 107, 311, 314, 316, 324, 406
retardation behavior 84, 107, 126
retardation mechanism 107, 120
retardation test 91, 179
rheological fundamentals 42
rheometer 48
rise time of electronic chain 254
Rockwell hardness 184, 187, 189, 192
roller drum peel test 555
rotational factor 241, 243, 549
rotational rheometer 49
roughness 126, 132, 207, 211, 213, 219, 304, 321, 324, 369
- S**
- safety against fracture 237, 551
sand trickling test 323
sandbox tests 619
sandwich compression test 531
sandwich laminate 534
sandwich structures 612
scanning probe microscopy 649
scattered light distribution 322
scattering 432, 436, 441, 465, 589, 592, 594
scattering coefficient 329, 434
scratch hardness 191
scratch resistance 323
screw pull-out test 613
Searle measuring systems 49
secant modulus 115, 135, 146
secondary relaxation 100, 288, 301
secondary valence bond 25, 287
semiconductor strain gauge 247, 251, 261
SENB specimen 237, 241, 249, 254, 257
SENT specimen 238
serviceability 596, 598, 601, 604
shape change 75, 569
shear band 89, 112, 137, 231
shear band formation 106
shear deformation 43, 45, 424, 556, 624
shear failure 528
shear loading 534, 536, 547
shear modulus 79, 99, 513, 536, 539, 541, 614, 624, 654
shear rate 43, 45, 48, 51, 56, 59, 61, 64, 69, 81
shear strain 76, 536, 538, 540, 542
shear strength 522, 532, 534, 536, 539, 541, 543, 613, 615, 617, 619, 623, 625
shear stress 43, 45, 48, 51, 54, 60, 69, 74, 81, 112, 141, 234, 532, 534, 536, 538, 540, 542, 547, 624, 626
shear stress at a shear strain 538
shear stress–shear strain curve 536, 539
shear tests 536
– $\pm 45^\circ$ off-axis tensile test 536, 552
– 10° off-axis tensile test 538, 552
– *Iosipescu* shear test 536, 540, 552
– plate-twist shear test 541, 552
– torsional loading on thin-walled tubes 542
– two- and three-rail shear test 538, 540, 552
shear viscosity 43, 45, 52, 69, 81
shear wave 460
sheet polarizer 312

- shock test 608
Shore hardness 184, 189, 190, 192
 short chain-branched 403, 407
 short-beam test 143, 180, 534
 short-fiber reinforced thermoplastics 267, 269
 short-term test 374, 601, 603, 615
 short-time test 34, 501
 shrinkage 19, 24, 33, 288, 301, 569, 599, 619, 629
 shrinkage measurement 32
 shrinkage stress 23
 shunt lid pull-through test 627
 signal/noise ratio 446, 463, 480, 488, 490
 silicone resin 122, 345
 silicone-rubber 626, 628
 single span girder test 613
 single-specimen technique 507
 single-stage flexural fatigue test 163
 skin effect 455, 481
 slenderness ratio 132
 slide angle 41
 sliding process 267, 403
 slosh test 611
 slow residue 598
 small angle light scattering 329, 334
 small scale yielding 239, 267
 smoldering 573, 575, 578, 589
 S–N curve 163, 165, 167, 169
Snellius' law of diffraction 305
 softening temperature
 – see heat distortion resistance
 solubility parameter 412, 414, 417, 420, 422, 424
 solvent 43, 57, 293, 351, 393, 395, 404, 408, 426, 608
 sound velocity 98, 254, 289, 456
 spatial stress state 74
 specific conductivity 337, 342
 specific direct current conductivity 342
 specific heat capacity 288, 293, 296
 specific heat conductivity 371
 specific strength 431, 622
 specific surface resistivity 339, 343, 346
 specific volume resistivity 339, 343, 345
 specific wear rate 207, 211, 213, 215, 217
 specimen geometry 237, 239, 243, 257, 267, 639, 642, 645
 specimen preparation 15, 35, 520
 specimen preparation 18, 29, 33, 520, 638
 – elastomers 28
 – thermoplastics 19
 – thermosets 26
 specimen shapes for FCM
 – CLS specimen 550
 – DCB specimen 544, 546, 550, 552
 – EDT specimen 553
 – ELS specimen 546, 549, 552
 – ENF specimen 547, 552
 – FRMM specimen 549
 – MMB specimen 550
 – 4ENF specimen 548, 552
 specimen shapes for plastics
 – CT specimen 238, 241, 247, 249, 397, 500, 645
 – DENT specimen 277
 – Mini CT specimen 645, 651
 – SENB specimen 150, 237, 241, 249, 254, 257
 – SENT specimen 238
 – fatigue tester 166
 – trousers specimen 129
 – multipurpose specimen (tensile test specimen) 22, 134, 137, 145, 390, 395
 – angle specimen 129
 specimen state 31, 33
 specimen thickness 239, 425
 specimens configurations 150, 156, 251, 262, 528, 544, 582
 spectral range of visible light 439
 spectral reflectance 320
 spectral transmittance 320
 spectrophotometer 320
 spectrum of retardation time 86
 speed of light 440
 spherulite structure 198, 318, 331
St. Venant's principle 517

- stable crack growth 240, 242, 245, 250, 253, 267, 270, 273, 275
- stable crack propagation 233, 239, 245, 249, 263, 274, 397, 399, 426, 545
- standard climate 27, 34
- standard color 325, 328
- standardized heat release rate 592
- standardized shear strength 625
- static pressure 620
- static testing methods 91
- steady-state plastic yielding 124
- stearic acid modification 265
- stereo microscope 508
- stereo-lithography techniques 622
- storage modulus 69, 93, 95, 97, 100, 102, 104
- strain 76, 89, 112
- strain at break 20, 107, 115, 117, 120, 127, 136, 147, 178, 180, 522, 525, 613, 638, 643
- strain at yield stress 120
- strain controlled tensile test 123, 127
- strain gauge 160, 247, 251, 261, 523, 528, 532, 536, 538, 540, 542, 558
- strain gauge rosette 538
- strain hardening 89, 193, 393
- strain hardening region 124
- strain rate
- nominal 112
 - true 126
- strain tensor 76
- strain verification 281
- strain–time diagram 502
- strength test 596, 606, 618
- strength verification 281
- stress 73
- stress amplitude 162, 165, 168, 485
 - stress at break 119, 135, 147, 390, 401, 403, 409, 411, 417, 420, 423, 532
 - stress concentration 149, 151, 156, 313, 446, 448, 485, 497, 526, 530, 540, 621, 638
 - stress cracking 32, 385, 388, 390, 392, 404, 421, 423, 425
 - stress crack formation 388, 390, 392, 395, 398, 404, 413, 418, 420, 423
 - stress crack resistance 7, 178, 385, 389, 392, 394, 397, 399, 404, 406, 408, 411, 414, 417, 419, 424
 - stress cracking testing 33, 393
 - stress cracking corrosion 388
 - stress distribution 20, 132, 141, 144, 440, 516
 - stress intensity factor 235, 278, 282, 397, 399, 407, 421, 425, 653, 655
 - stress relaxation 24, 83, 88, 90, 105, 107, 172, 179, 627
 - stress tensor 75, 77, 485
 - stress-controlled continuous vibration test 162
 - stress–strain diagram 20, 88, 106, 112, 115, 117, 121, 175, 201, 475, 497, 502, 527, 553
 - influence of test speed 121
 - influence of temperature 121
 - stress–time diagram 162, 172
 - stretch zone 245
 - stretch zone height 242, 507, 509
 - stretch zone width 242, 245
- structure 31
- styrene–acrylonitrile 23, 122, 401, 404, 413, 415, 420, 425, 568
- styrene–butadiene copolymer 103
- styrene–butadiene rubber 280
- sulfur content 280
- supermolecular structure 31, 185, 199, 288, 292
- support span 143, 145, 150, 241, 251, 256, 262, 267, 532, 535, 567, 613
- surface charge density 369
- surface deformation 446, 508
- surface fatigue 207
- surface reflection 321
- surface resistivity 339, 343, 345, 370
- surface temperature 164, 478, 481, 618
- surface tension 413, 417
- surface topography 210, 441
- swellability 412

swelling equilibrium 412, 416

T

Tabor equation 200

tangential shear strength 619

tear resistance 128

tear test 128

tearing modulus 246, 270, 272

temperature cycle test 612

temperature cycles 610, 612, 616

temperature dependence of toughness 252,
262, 266, 273, 275

temperature modulated DSC 296

temperature stresses 616

temperature variation method 308

temperature–time limit 601

tensile creep modulus 175

tensile creep strength 178, 390, 405, 409,
411, 413, 415, 424

tensile creep test 173, 389, 393, 395, 397,
401, 404, 407, 409, 418, 420, 423

tensile cyclic loading 171

tensile loading 78, 390, 408, 508, 537, 553,
642

tensile strength 119, 121, 525, 527, 531

tensile stress 118, 201

tensile stress–strain diagrams 201

tensile test

– characteristic parameters 118, 124,
525

– specimens 114

– theoretical basis 110

tensile-impact strength 156

tensile-impact test 155, 233, 251, 277, 280

tension-compression loading 171

testing molding materials 17

testing of microcomponents 637

testing velocity 109, 277, 556, 572, 645

thermal ageing 619

thermal breakdown 371

thermal conductivity 289, 482, 499, 573,
576, 617

thermal deformation analysis 24

thermal degradation 574

thermal diffusivity 290, 292, 480, 482, 489

thermal emission 499, 501

thermal expansion 300, 447, 466, 471, 483,
486

thermal expansion coefficient 26, 288, 300,
303, 516, 649

thermal expansion number 300

thermal properties 287

thermal reliability 637

thermal skin depth 481

thermal stress 303

thermal tomography 483, 488

thermo-optical analysis 288

thermocouple method 587, 591, 618

thermoelastic effect 485, 501

thermoelastic stress analysis 485

thermography 33, 449, 478, 499, 500

thermogravimetric analysis 288, 298

thermomechanical analysis 288, 300

three-point bend test 138, 180, 257, 532,
547, 549, 566, 572

three-rail shear test 536, 538

tie-molecules 302, 409, 419

tie-molecule density 16, 408

time to fracture 251, 253, 390, 394, 396, 401,
403, 405, 407, 409, 411, 420, 423

time to ignition 579, 581, 585, 587

time–temperature superposition principle
86

torsion pendulum 94, 96

torsion pendulum testing 95

torsional loading on thin-walled tubes 542

torsional oscillation 95

torsional test 542

total transmission 330

TPU/ABS blends 271, 273

transient thermography 478

transition temperature region 103

transmission 319

transmittance 290, 320, 330

transparency 304, 317, 319, 322, 328, 333

transversal waves 433, 456
transverse contraction 125, 445
transverse strain 505
tribochemical reaction 207
tribology 205
trousers specimen 129
Trouton viscosity 45, 81
true strain 76, 124, 127
two-rail shear test 536, 539

U

Ubbelohde viscosimeter 55, 58
UD laminate 165, 170, 455, 466, 513, 518,
525, 536, 538, 544
Ulbricht globe 330
ultrasonic amplitude 460, 485
ultrasonic analysis 498
ultrasonic frequency 457, 488
ultrasonic reflection 461
ultrasonic test method 33, 98, 457, 557
ultrasonic waves 448, 456
ultrasound 457
ultrasound birefringence 460
ultrasound burst-phase thermography 486
ultrasound lock-in thermography 486, 489
ultrasound thermography 485
ultrasound velocity 456
unsaturated polyester 27, 121, 138, 148, 154,
371, 568
unstable crack propagation 202, 233, 236,
241, 252, 262, 271, 275, 277, 280
UP/GF composite 190
urea resin 121, 138, 148, 345
UV fluorescent lamps 335

V

value determination 4, 244, 251
vapor pressure 413
velocity-temperature-shifting concept 281
vibration excitation 92, 99
vibrational spectroscopy 339
vibrational test 608

vibration-resonance-curve method 97
vibrometry 454, 467, 469, 471, 475, 478, 490
vibro-thermography 485, 499
Vicat softening temperature 22, 565, 566,
568, 570
Vickers hardness 185, 200
Vickers hardness test 185, 647
Vickers indenter 203
video extensometry 498, 508, 642
videothermography 498
viscoelastic properties 82, 99, 102
viscometry 48
viscosity 42, 56, 404, 406, 413, 418, 600
viscosity function 62
viscosity value 64
viscous material behavior 80
visual test 598
Vogel/Fulcher/Tammann equation 82, 358
Voigt-Kelvin model 83
volume dilatometry 123, 498
volume resistance 339, 343, 345, 347, 370

W

water-jet cutting 30
wave length 433, 436, 444, 449, 458, 475
wave propagation velocity 456
wavelength variation method 306, 308
wear 203, 607
wear characteristics 208
– specific wear rate 212
– wear rate 211
– wear-path ratio 212
wear mechanisms 207
weathering resistance 335
weatherometer 335
Weibull parameter 169, 640
weight check 599
weld seam 159, 160
wide-angle light scattering 329
Williams/Landel/Ferry equation 47, 87, 359
winding technology 522
Wöhler curve 163, 165, 168

Wöhler test 162

Wollaston prism 325

X

xenon tester 335

xenon-arc lamp 335

X-ray 33, 167, 331, 433, 435, 437, 439, 459,
655

X-ray backscatter setup 437

X-ray refraction topogram 438

X-ray refractometry 32, 437

X-ray residual stress analysis 32

X-ray tomogram 436

X-ray tube 435

Y

yield strain 88, 120

yield point 32, 45, 88, 117, 135, 137, 142,
183, 200, 202, 207, 239, 245

yield stress 88, 106, 117, 135, 200, 239, 272,
281, 390, 421, 424, 613

yield stress

– impact 256

– static 117, 122, 135, 137, 142, 200,
239

yield zone 117, 605