

HANSER

Table of Contents

John S. Dick

How to Improve Rubber Compounds

1800 Experimental Ideas for Problem Solving

ISBN (Buch): 978-1-56990-533-3

ISBN (E-Book): 978-1-56990-534-0

For further information and order see

<http://www.hanser-fachbuch.de/978-1-56990-533-3>

or contact your bookseller.

Contents

Disclaimer	V
Preface	VII
1 Introduction	1
1.1 Complexity of Compound Ingredient Selection	1
1.2 Industrial Complexity.....	3
1.3 Complexity of Ingredient Property Relationships	3
1.4 Experimental Ideas	6
1.5 Sources of Ideas	7
1.6 Review Panel.....	8
2 Improving the Physical Properties of Cured Rubber Compounds.....	9
2.1 Increasing Tensile Strength	9
2.2 Increasing High-Temperature Tensile Strength	23
2.3 Increasing Ultimate Tensile Elongation	25
2.4 Increasing Hardness and Modulus.....	30
2.5 Reducing Set, Under Compression and/or Tension.....	43
2.6 Increasing Rebound and Decreasing Hysteresis	52
2.7 Increasing Tear Resistance.....	69
2.8 Increasing Hot Tear Resistance.....	79
2.9 Improving Low-Temperature Properties.....	83
2.10 Increasing Electrical Conductivity	90
2.11 Increasing Thermal Conductivity.....	98
2.12 Decreasing Coefficient of Friction	101
2.13 Decreasing Air Permeability	102
2.14 Increasing Rubber-to-Metal Adhesion	105
2.15 Improving Rubber-to-Fabric Adhesion.....	110
2.16 Improving Flame Retardance.....	111
2.17 Reducing Compound Cost.....	115

3	Improving Degradation Resistance of Cured Rubber Compounds	125
3.1	Improving Hot Air and/or Heat Aging Resistance	125
3.2	Improving Ozone Resistance	144
3.3	Improving Flex Fatigue Resistance and/or Cutting and Chipping Resistance	153
3.4	Improving Abrasion and/or Wear Resistance	170
3.5	Improving Oil and/or Solvent Resistance	183
3.6	Improving Staining and Discoloration Resistance	192
3.7	Improving Weathering Resistance	194
3.8	Improving Hydrolysis Resistance	196
4	Optimizing Measurable Processability Properties	197
4.1	Reducing Viscosity	197
4.2	Increasing Shear Thinning	203
4.3	Reducing Elasticity (Nerve)	205
4.4	Increasing Tack	207
4.5	Reducing Stickiness to Metal Surfaces	212
4.6	Increasing Percent Dispersion of Carbon Black and Fillers	214
4.7	Increasing Green Strength	222
4.8	Increasing Scorch Safety Time	228
4.9	Increasing Cure Rate	239
4.10	Reducing Reversion	247
4.11	Reducing Marching Modulus	253
4.12	Reducing Cold Flow	254
5	Minimizing Adverse Processing Attributes	255
5.1	Reducing or Eliminating Porosity, Bubbles, or Voids in Both the Uncured and the Cured State	255
5.2	Mixing: Reducing Filler or Black Incorporation Times (BITs)	262
5.3	Mixing: Decrease Total Mixing Time	264
5.4	Mixing: Reducing or Eliminating Lumps in Dumped Batches	268
5.5	Mixing: Reducing Bagging on the Mill	269
5.6	Mixing: Reducing Back Rolling on the Mill	270
5.7	Extrusion: Reducing Die Swell (Improving Dimensional Stability) .	271
5.8	Extrusion: Improving Smoothness of the Extrudate Surface	276
5.9	Extrusion: Increasing Extrusion Rate Without Loss of Quality	281
5.10	Calendering: Eliminating Blisters	287
5.11	Calendering: Improving Calender Release	289
5.12	Raw Material and Mixed Stock Bin Storage: Lengthening Useful Shelf Life	290
5.13	Mixed Stock Bin Storage: Reducing Bloom	291

5.14	Compression/Transfer/Injection Molding: Improving Mold Release	295
5.15	Compression/Transfer/Injection Molding: Reducing or Eliminating Mold Fouling	297
5.16	Compression/Transfer/Injection Molding: Improving Mold Flow	301
5.17	Compression/Transfer/Injection Molding: Reducing Shrinkage of Part	303
5.18	Compression/Transfer/Injection Molding: Improving Surface Appearance	306
5.19	Increasing the Blow Rate During the Curing of a Sponge Compound	307
5.20	Eliminating Trapped Air During Molding	310
5.21	Reducing Backrinding	311
6	Tire Performance Properties	313
6.1	Improving Tire Wet Traction	313
6.2	Improving Tire Dry Traction	321
6.3	Improving Tire Winter Traction or Ice Traction	323
6.4	Improving Tire Rolling Resistance	325
Appendix 1	Blends	335
A.1	Introduction	335
A.1.1	SBR/NR Blends	338
A.1.2	SBR/IR Blends	341
A.1.3	SBR/BR Blends	341
A.1.4	NR/BR Blend	343
A.1.5	NR/IR Blends	345
A.1.6	NR/CIIR Blends	345
A.1.7	NR/BIIR Blends	346
A.1.8	NR/BIMS Blends	346
A.1.9	NR/IIR Blends	347
A.1.10	CR/IIR Blends	347
A.1.11	NBR/SBR Blends	347
A.1.12	NBR/PVC Blends	348
A.1.13	XNBR/PVC Blend	349
A.1.14	NBR/IR Blends	349
A.1.15	NBR/BR Blends	350
A.1.16	NBR/NR Blends	350
A.1.17	EPDM/SBR Blends	350
A.1.18	EPDM/CR Blends	351
A.1.19	EPDM/IR Blends	351
A.1.20	EPDM/NR Blends	351

A.1.21 EPDM/CSM Blends	351
A.1.22 EPDM/Silicone Compatibilized	352
A.1.23 EPDM/LDPE Blend	352
A.1.24 EPDM/EVA Blend	352
A.1.25 CR/SBR Blends	352
A.1.26 CR/BR Blends	353
A.1.27 CSM/BR Blends	353
A.1.28 CR/Hydrin Blends	354
A.1.29 NBR/FA Polysulfide Rubber	354
A.1.30 Triblend	354
A.1.30.1 NR/SBR/BR Blends	354
A.1.30.2 BR/SBR/IR Blends	355
A.1.30.3 NR/IR/SBR Blends	355
A.1.30.4 NR/EPDM/BIIR Blends	356
A.1.30.5 NR/EPDM/CIIR Blends	356
A.1.30.6 NR/CR/CSM Blends	356
A.1.30.7 NBR/PVC/SBR Blends	356
A.1.30.8 XNBR/PVC/NBR Blends	357
A.1.30.9 XNBR/PVC/BR Blends	357
A.1.30.10 XNBR/NBR/BR Blends	357
A.1.30.11 NBR/SBR/BR Blends	357
A.1.30.12 NBR/BR/NR Blends	357
A.1.30.13 NR/EPDM/SBR Blends	357
A.1.30.14 EPDM/SBR/CR Blends	358
A.1.31 Four-Way Blends	358
A.1.31.1 NR/EPDM/SBR/CIIR Blends	358
Appendix 2: Cure Systems	359
A.2 Introduction	359
A.2.1 General Purpose Elastomer Cure Packages	359
A.2.2 EPDM Cure Packages	362
A.2.3 NBR Cure Packages	363
A.2.4 Polychloroprene Cure Packages	366
A.2.4.1 General Purpose Thiourea Cure Systems for Carbon Black Loaded CR Compounds	367
A.2.4.2 Special Purpose Thiourea Cure Systems for Carbon Black Loaded CR Compounds	367
A.2.4.3 General Purpose Non-thiourea Cure Systems for Carbon Black Loaded CR Compounds	367
A.2.4.4 Special Purpose Non-thiourea Cure Systems for Carbon Black Loaded CR Compounds	368

A.2.5 Chlorobutyl Rubber Cure Packages	369
A.2.6 Butyl Rubber Cure Packages	371
Review Panel Members' Biographies	373
Author's Biography	383
Subject Index	385