

# HANSER




Table of Contents

Norman C. Lee

Blow Molding Design Guide

ISBN: 978-3-446-41264-4

For further information and order see

<http://www.hanser.de/978-3-446-41264-4>  
or contact your bookseller.

# Contents

|   |           |
|---|-----------|
| Preface.....  | V         |
| <b>1 The Basics of Blow Molding .....</b>                             | <b>1</b>  |
| 1.1 Definition .....  | 1         |
| 1.2 The Basic Process.....  | 1         |
| 1.3 History.....  | 2         |
| 1.4 Summary of Development .....                                      | 2         |
| 1.5 Design Parameters – Benefits, Disadvantages, and Comparisons..... | 6         |
| <b>2 The Design Process – An Organized Approach .....</b>             | <b>9</b>  |
| 2.1 Introduction.....   | 9         |
| 2.2 Main Structure.....   | 9         |
| 2.2.1 Six Perspectives on the New Manufacturing Enterprise .....      | 10        |
| 2.3 Product Design and Development Management System (PD2MS).....     | 12        |
| 2.3.1 PD2MS .....   | 12        |
| 2.3.2 Process Management Tracking Systems .....                       | 13        |
| 2.3.3 Commitment of Resources .....                                   | 13        |
| 2.3.4 Concurrent Engineering .....                                    | 20        |
| 2.4 Conclusion .....  | 20        |
| <b>3 Basic Blow Molding Part Design .....</b>                         | <b>23</b> |
| 3.1 Basic Design Considerations.....                                  | 23        |
| 3.1.1 Size Variations .....   | 23        |
| 3.1.2 Understanding Hollow Structures.....                            | 24        |
| 3.1.3 Draft of Part.....  | 25        |
| 3.2 Increase Draft as Blow Ratio Increases .....                      | 26        |
| 3.3 Guidelines for Radii .....  | 30        |
| 3.3.1 Corner and Edge Rounding .....                                  | 30        |
| 3.3.2 Chamfers.....   | 31        |
| 3.4 Molded-In Geometric Configuration .....                           | 32        |
| 3.5 Flanges and Tack-Offs .....                                       | 33        |
| 3.5.1 Threaded Parts.....   | 34        |
| 3.5.2 Attachments and Auxiliary Units.....                            | 34        |
| 3.6 Conclusion .....  | 35        |
| <b>4 Design for Bottles .....</b>                                     | <b>37</b> |
| 4.1 Blow Molding Process Basic Shapes .....                           | 37        |
| 4.2 Simplified Assumptions About Parison Expansion .....              | 38        |
| 4.3 Bottle Design Concepts for Extrusion Blow Molding of HDPE .....   | 38        |

|          |   |           |
|----------|---|-----------|
| 4.3.1    | Ribs: Do Not Always Stiffen . . . . .                           | 40        |
| 4.3.2    | Cross-Sections . . . . .  | 41        |
| 4.3.3    | Bottle Neck, Threads, and Openings . . . . .                    | 42        |
| 4.4      | Container Volume . . . . .                                      | 45        |
| 4.4.1    | Container Volume Measurements . . . . .                         | 45        |
| 4.4.2    | Standards . . . . .   | 46        |
| 4.4.3    | Machine Line Mold Volume Correction . . . . .                   | 47        |
| 4.4.4    | Source of Error in Volume Correction . . . . .                  | 47        |
| 4.4.5    | Package Dairy Mold Volume Correction . . . . .                  | 48        |
| 4.4.6    | Production Conditions . . . . .                                 | 48        |
| 4.4.7    | Annealing Tunnel . . . . .                                      | 49        |
| 4.4.8    | Conclusion . . . . .  | 50        |
| <b>5</b> | <b>Industrial and Structural Part Design . . . . .</b>          | <b>53</b> |
| 5.1      | The Blow Molding Process . . . . .                              | 53        |
| 5.1.1    | Preferred Process . . . . .                                     | 53        |
| 5.1.2    | Hollow Parts . . . . .  | 53        |
| 5.1.3    | Resin/Fiberglass Lay-up and Structural Foam Molding . . . . .   | 53        |
| 5.1.4    | Foam-Filled . . . . .   | 54        |
| 5.2      | Kinetic Energy Design Engineering . . . . .                     | 55        |
| 5.3      | Molded-In Insert of Components . . . . .                        | 57        |
| 5.4      | Interlocking Systems . . . . .                                  | 58        |
| 5.5      | Snap Fits . . . . .   | 59        |
| 5.6      | Multiple/Combination Cavities . . . . .                         | 59        |
| 5.7      | Container Configuration Design . . . . .                        | 60        |
| 5.7.1    | Flat Sides . . . . .  | 60        |
| 5.7.2    | Lip . . . . .   | 61        |
| 5.7.3    | Nesting and Stacking . . . . .                                  | 61        |
| 5.7.4    | Cutting Containers Apart . . . . .                              | 62        |
| 5.8      | Double Walled Cases . . . . .                                   | 63        |
| 5.9      | Conclusion . . . . .  | 65        |
| <b>6</b> | <b>Computer Aided Design and Engineering Analysis . . . . .</b> | <b>67</b> |
| 6.1      | Performance Criteria . . . . .                                  | 67        |
| 6.2      | Computer Software Simulation . . . . .                          | 67        |
| 6.2.1    | Traditional Approach . . . . .                                  | 68        |
| 6.2.2    | Simulation-Based Approach . . . . .                             | 69        |
| 6.3      | Reducing Parison Thickness . . . . .                            | 69        |
| 6.4      | Fluid Flow Finite Element Simulation . . . . .                  | 71        |
| 6.4.1    | Modeling . . . . .  | 71        |
| 6.4.2    | Simulation . . . . .  | 71        |
| 6.4.3    | Prediction Example . . . . .                                    | 73        |
| 6.5      | Polymer Inflation and Thinning Analysis . . . . .               | 74        |
| 6.5.1    | Effects of Geometry . . . . .                                   | 74        |
| 6.5.2    | Understanding Wall Thickness . . . . .                          | 75        |
| 6.5.2.1  | Examples: Using Normalized Thickness Curves . . . . .           | 76        |
| 6.6      | Conclusion . . . . .  | 79        |

|          |   |     |
|----------|---|-----|
| <b>7</b> | <b>Polymers and Plastic Materials</b>                           | 81  |
| 7.1      | Basic Polymer Chemistry   | 81  |
| 7.1.1    | Structure of Matter   | 81  |
| 7.2      | Polymers  | 82  |
| 7.2.1    | Homopolymers, Copolymers, and Terpolymers                       | 83  |
| 7.2.2    | Thermoplastic and Thermoset Polymers                            | 83  |
| 7.2.3    | Amorphous and Crystalline                                       | 83  |
| 7.2.4    | Fundamental Properties  | 84  |
| 7.2.4.1  | Average Molecular Weight  | 84  |
| 7.2.4.2  | Chain Length Linking  | 85  |
| 7.2.4.3  | Morphology  | 86  |
| 7.2.4.4  | Additives, Fillers, and Reinforcing Agents                      | 86  |
| 7.3      | Physical Properties   | 86  |
| 7.3.1    | Specific Gravity  | 86  |
| 7.3.2    | Melt Flow Rate (Melt Index)                                     | 87  |
| 7.3.3    | Moisture  | 88  |
| 7.3.4    | Hardness  | 88  |
| 7.3.5    | Tensile Strength and Properties                                 | 89  |
| 7.3.6    | Creep   | 89  |
| 7.3.7    | Basic Polymer Parameters and Their Effect on Product Properties | 89  |
| 7.4      | Polymer Characteristics Relevant for Blow Molding               | 90  |
| 7.4.1    | High-Density Polyethylene (HDPE)                                | 90  |
| 7.4.2    | Acrylonitrile-Butadiene-Styrene (ABS)                           | 92  |
| 7.4.3    | Polycarbonate (PC)  | 93  |
| 7.4.4    | Polypropylene (PP)  | 94  |
| 7.4.5    | Polyphenylene Oxide (PPO)                                       | 95  |
| 7.4.6    | Polyethylene Terephthalate (PET)                                | 96  |
| 7.5      | Coloring Plastic Materials                                      | 96  |
| 7.6      | Regrind   | 96  |
| 7.7      | Post-Consumer and Industrial Recycled Materials                 | 97  |
| <b>8</b> | <b>The Blow Molding Process</b>                                 | 99  |
| 8.1      | Extrusion Blow Molding  | 99  |
| 8.1.1    | Understanding the Extruder                                      | 100 |
| 8.1.2    | Blow Molding Technique  | 101 |
| 8.1.3    | Continuous Extrusion  | 103 |
| 8.1.3.1  | Shuttle System  | 104 |
| 8.1.3.2  | Rising Mold   | 105 |
| 8.1.3.3  | Rotary Wheel  | 105 |
| 8.1.4    | Intermittent Extrusion  | 107 |
| 8.1.4.1  | Reciprocating Screw   | 107 |
| 8.1.4.2  | Ram   | 107 |
| 8.1.4.3  | Accumulator   | 107 |
| 8.1.5    | Coextrusion   | 109 |
| 8.1.6    | Introduction to Head Tooling                                    | 109 |
| 8.1.6.1  | Converging  | 110 |
| 8.1.6.2  | Diverging   | 111 |

|           |   |            |
|-----------|---|------------|
| 8.1.6.3   | Tooling Choices   | 111        |
| 8.1.7     | Part Weight and Wall Thickness Adjustment                             | 112        |
| 8.1.7.1   | Parison Programming   | 112        |
| 8.1.7.2   | Die Ovalization   | 113        |
| 8.2       | Blow Pins/Needles   | 114        |
| 8.2.1     | Needles   | 114        |
| 8.2.2     | Pins/Needles  | 115        |
| 8.3       | Injection Blow Molding  | 115        |
| 8.3.1     | Injection Blow Molding Process  | 115        |
| 8.3.2     | The Injection Blow Molding Machine                                    | 117        |
| 8.4       | Stretch Blow Molding  | 118        |
| <b>9</b>  | <b>New Applications of Blow Molding Technology</b>                    | <b>121</b> |
| 9.1       | Coextrusion Blow Molding of Large Parts                               | 121        |
| 9.1.1     | Reasons for Coextrusion   | 121        |
| 9.1.2     | Typical Structures  | 123        |
| 9.1.3     | Intermittent and Continuous Extrusion Blow Molding                    | 124        |
| 9.1.4     | Methods of Continuous Coextrusion Blow Molding                        | 126        |
| 9.2       | Three-Dimensional Blow Molding  | 128        |
| 9.2.1     | Mold Inclining System and Computer Controlled Mold Oscillating Device | 129        |
| 9.2.1.1   | The X–Y Process   | 130        |
| 9.2.1.2   | Formed Parts  | 130        |
| 9.2.1.3   | Features of the X–Y Machine   | 130        |
| 9.2.2     | The Three-Dimensional Technology of Suction Blow Molding              | 132        |
| 9.2.3     | Three-Dimensionally Curved Blow Moldings                              | 134        |
| 9.3       | Hard-Soft-Hard and Soft-Hard-Soft Technology                          | 135        |
| 9.3.1     | Axial Coextrusion   | 135        |
| 9.3.2     | Preferred Material Combinations                                       | 136        |
| 9.4       | Long-Glass-Fiber-Reinforced Blow Molding                              | 136        |
| 9.5       | Blow Molding Foam Technology  | 137        |
| 9.5.1     | Advantages  | 138        |
| 9.5.2     | Blow Foam Technology Products   | 139        |
| 9.6       | Conclusion  | 139        |
| <b>10</b> | <b>Understanding the Mold</b>   | <b>141</b> |
| 10.1      | Main Characteristic of Mold Halves                                    | 141        |
| 10.2      | Mold Materials  | 142        |
| 10.2.1    | Cast Aluminum and Beryllium   | 142        |
| 10.2.2    | Aluminum Plate  | 143        |
| 10.2.3    | Steel   | 143        |
| 10.3      | Importance of Fast Mold Cooling                                       | 143        |
| 10.3.1    | Cooling   | 144        |
| 10.3.2    | Cooling Lines   | 144        |
| 10.3.3    | Pinch-Off Areas   | 145        |
| 10.3.4    | Blowing Pin   | 146        |
| 10.3.5    | Internal Cooling  | 146        |

|           |  |            |
|-----------|--|------------|
| 10.4      | Cutting and Welding Parison (Pinch-Off).....                       | 146        |
| 10.4.1    | Pinch-Off Section .....  | 146        |
| 10.4.2    | Uniform Weld Lines .....   | 147        |
| 10.5      | High-Quality, Undamaged Mold Cavity Finish .....                   | 148        |
| 10.6      | Effects of Air and Moisture Trapped in the Mold – Venting.....     | 149        |
| 10.7      | Injection of the Blowing Air .....                                 | 150        |
| 10.8      | Ejection of the Part from the Mold .....                           | 151        |
| 10.9      | Bottle Molds.....  | 151        |
| 10.9.1    | Neck Ring and Blow Pin Design .....                                | 151        |
| 10.9.2    | Dome Systems .....   | 151        |
| 10.9.3    | Prefinished System .....   | 153        |
| 10.9.4    | Unusual Problems.....  | 154        |
| 10.10     | Injection Blow Molds.....  | 155        |
| 10.10.1   | Parison (Preform) Mold .....                                       | 156        |
| 10.10.2   | Neck Ring Insert .....   | 157        |
| 10.10.3   | The Core Rod Assembly.....   | 157        |
| 10.10.4   | Materials for Parison Cavity and Core Rods .....                   | 158        |
| 10.10.5   | Design Details of the Blow Mold Cavity.....                        | 159        |
| 10.10.6   | Vents .....  | 160        |
| 10.10.7   | Neck Ring Insert .....   | 160        |
| 10.10.8   | Bottom Plug Insert .....   | 160        |
| 10.10.9   | Die Sets .....   | 160        |
| 10.10.10  | Injection Blow Mold Tooling Summary .....                          | 160        |
| 10.11     | Conclusion .....   | 161        |
| <b>11</b> | <b>Computer Aided Design and Engineering for Mold Making .....</b> | <b>165</b> |
| 11.1      | Advantages .....   | 165        |
| 11.2      | Systems and Methods.....   | 166        |
| 11.2.1    | Analytical Personal Computer .....                                 | 166        |
| 11.2.2    | Minicomputer .....   | 167        |
| 11.2.3    | Network Station Approach .....                                     | 167        |
| 11.3      | Utilizing CAD/CAM in a Mold Making Organization .....              | 167        |
| 11.3.1    | Engineering Activities.....  | 170        |
| 11.3.2    | Manufacturing Activities.....                                      | 170        |
| <b>12</b> | <b>Decoration of Blow Molded Products .....</b>                    | <b>173</b> |
| 12.1      | Introduction.....  | 173        |
| 12.2      | Surface Treatment.....   | 173        |
| 12.2.1    | Surface Treatment Methods .....                                    | 173        |
| 12.2.2    | Flame Treatment .....  | 174        |
| 12.2.3    | Corona Discharge .....   | 176        |
| 12.2.4    | Washing with Water-Based Chemicals .....                           | 176        |
| 12.2.5    | Solvent Cleaning and Etching.....                                  | 176        |
| 12.2.6    | Additives Compounded into Resins .....                             | 176        |
| 12.3      | Spray Painting .....   | 176        |
| 12.3.1    | Air Atomization and Airless Sprays.....                            | 177        |
| 12.3.2    | Masking.....   | 177        |

|                            |  |            |
|----------------------------|--|------------|
| 12.3.3                     | Vapor Degreasing .....   | 177        |
| 12.3.4                     | Mechanical Abrasion – Sanding.....                               | 178        |
| 12.3.5                     | Chemical Etching .....   | 178        |
| 12.4                       | Labels.....  | 178        |
| 12.4.1                     | Label Application .....  | 178        |
| 12.5                       | Screen Printing .....  | 179        |
| 12.5.1                     | Screen Printers.....   | 180        |
| 12.6                       | Pad Printing .....   | 181        |
| 12.6.1                     | Pad Equipment .....  | 181        |
| 12.7                       | Hot Stamping.....  | 183        |
| 12.7.1                     | Hot Stamping Foils.....  | 184        |
| 12.8                       | Decals.....  | 185        |
| 12.9                       | In-Mold Labeling .....   | 185        |
| 12.9.1                     | In-Mold Labeling Equipment.....                                  | 186        |
| 12.9.2                     | The In-Mold Labeling Process .....                               | 186        |
| 12.9.3                     | “In-Mold” Labeling Molds .....                                   | 186        |
| 12.9.4                     | Cycle Times .....  | 187        |
| 12.9.5                     | Aesthetics .....   | 187        |
| 12.10                      | Conclusion .....   | 187        |
| <b>13</b>                  | <b>Finishing .....</b>   | <b>189</b> |
| 13.1                       | Layout the Entire Process, Step by Step.....                     | 189        |
| 13.2                       | Product Design .....   | 189        |
| 13.3                       | Mold Engineering.....  | 190        |
| 13.4                       | Trimming and De-Flashing.....                                    | 190        |
| 13.5                       | Removing Domes and Other Sections .....                          | 191        |
| 13.5.1                     | The Cutting Machine – Round Parts versus Parts with Corners..... | 192        |
| <b>14</b>                  | <b>Cost Estimating .....</b>                                     | <b>193</b> |
| 14.1                       | Introduction.....  | 193        |
| 14.2                       | Typical Cost Sheet.....  | 193        |
| 14.3                       | Cost Conclusion .....  | 196        |
| 14.4                       | Cost Estimating Calculations .....                               | 196        |
| 14.4.1                     | Part Requirements.....   | 196        |
| 14.4.2                     | Cooling of the Part .....  | 197        |
| 14.4.3                     | Throughput of the Machine .....                                  | 197        |
| 14.4.4                     | Post-Molding Operations .....                                    | 197        |
| 14.4.5                     | Setup and Purging of Material from Previous Product Run .....    | 197        |
| <b>Appendix A</b>          | <b>Troubleshooting.....</b>                                      | <b>199</b> |
| A.1                        | Detailed Failure Analysis .....                                  | 201        |
| Overview and Summary ..... |  | 201        |
| A.1.1                      | Rocker Bottoms and Oval Necks .....                              | 234        |
| A.1.2                      | Defects Within the Blown Wall.....                               | 234        |
| A.1.2.1                    | Bubbles.....   | 234        |
| A.1.2.2                    | Cold Spots .....   | 235        |
| A.1.2.3                    | Thinning .....   | 235        |

|   |            |
|---|------------|
| A.1.2.4 Tearing . . . . .   | 235        |
| A.1.2.5 Cutting . . . . .   | 236        |
| A.1.2.6 Indented Parting Lines . . . . .                                      | 236        |
| A.1.3 Poor Bottle Surface . . . . .   | 236        |
| A.1.4 Curtaining and Webbing . . . . .  | 237        |
| A.1.5 Blowouts . . . . .  | 238        |
| A.1.6 Parison Curl, Stringing, Hooking, Sag, and Length Consistency . . . . . | 238        |
| A.1.6.1 Parison Curl . . . . .  | 239        |
| A.1.6.2 Parison Stringing . . . . .   | 239        |
| A.1.6.3 Parison Hooking . . . . .   | 239        |
| A.1.6.4 Parison Sag . . . . .   | 240        |
| A.1.6.5 Parison Length Inconsistency . . . . .                                | 240        |
| A.1.7 Foreign Matter in the Melt . . . . .                                    | 240        |
| A.1.7.1 Look for Exterior Sources of Contamination First . . . . .            | 240        |
| A.1.7.2 Degraded Resin – Many Sources . . . . .                               | 241        |
| A.1.7.3 Culprit – Man or Machine? . . . . .                                   | 241        |
| A.1.8 Die Lines or Streaking in the Parison . . . . .                         | 242        |
| A.1.9 Shrinkage . . . . .   | 242        |
| A.1.10 Causes of Stress Cracking . . . . .                                    | 243        |
| A.1.10.1 Environmental Stress Cracking . . . . .                              | 243        |
| A.1.10.2 Solvent Stress Cracking . . . . .                                    | 243        |
| A.1.10.3 Mechanical Stress Cracking . . . . .                                 | 244        |
| A.1.11 Heat – Too Much or Too Little and What to Do About It . . . . .        | 245        |
| A.1.11.1 Instrument Recalibration . . . . .                                   | 246        |
| A.1.12 Surging . . . . .  | 246        |
| A.1.13 Sharkskin . . . . .  | 247        |
| A.1.14 Screw Wear Affects Performance . . . . .                               | 249        |
| A.1.14.1 Inspection Rollers . . . . .   | 249        |
| A.1.14.2 Diameters . . . . .  | 250        |
| A.1.14.3 Depths . . . . .   | 250        |
| A.1.14.4 Concentricity and Straightness . . . . .                             | 251        |
| A.1.14.5 Hardness . . . . .   | 252        |
| A.1.14.6 Finish and Coating Thickness . . . . .                               | 253        |
| A.1.14.7 Screw Manufacturing Tolerances . . . . .                             | 253        |
| A.1.15 Barrel Inspection . . . . .  | 254        |
| A.1.15.1 Inside Diameters . . . . .   | 254        |
| A.1.15.2 Straightness and Concentricity . . . . .                             | 255        |
| A.1.15.3 Barrel Hardness . . . . .  | 255        |
| A.1.15.4 Barrel Specifications . . . . .                                      | 255        |
| A.1.16 Detecting Container Leakage . . . . .                                  | 255        |
| <b>Subject Index . . . . .</b>  | <b>259</b> |