

HANSER

# Co-Rotating Twin-Screw Extruder

Herausgegeben von Klemens Kohlgrüber

ISBN-10: 3-446-41372-3

ISBN-13: 978-3-446-41372-6

Inhaltsverzeichnis

Weitere Informationen oder Bestellungen unter  
<http://www.hanser.de/978-3-446-41372-6>  
sowie im Buchhandel

# Contents

<b>1</b>	<b>Introduction</b> .....	<b>1</b>
<b>2</b>	<b>Historical Development of the Co-Rotating Twin Screw</b> .....	<b>9</b>
2.1	Introduction .....	9
2.2	Early Developments .....	9
2.2.1	Basic Geometry .....	10
2.2.2	Basic Patents .....	13
2.2.2.1	Basic Patent of the Threaded Screw .....	13
2.2.2.2	Basic Patent for Kneading Discs, DBP [16], USP [17], DBP [20] .....	15
2.2.2.3	Basic Patent for Modular Design .....	18
2.3	Pioneering Period .....	20
2.3.1	Machine Development .....	20
2.3.2	Use in Chemical Processes .....	20
2.3.3	Licensing .....	22
2.3.4	Recognition for R. Erdmenger .....	22
2.4	New High Viscosity Technology with Co-Rotating Extruders .....	23
2.4.1	Screw Machines in Process Engineering .....	23
2.4.2	Similarity Theory for Screw Machinery .....	23
2.4.3	Versatile High Viscosity Processes .....	25
2.5	Special Developments from Bayer-Hochviskostechnik (High Viscosity Technology Group) .....	27
2.5.1	Extended Kinematics, Profile Geometries .....	27
2.5.2	Clearance Strategies .....	28
2.6	Developments after Licensing .....	29
2.7	Developments after Expiration of the Primary Patents .....	32
<b>3</b>	<b>Rheological Properties of Polymer Melts</b> .....	<b>35</b>
3.1	Introduction and Motivation .....	35
3.2	Classification of Rheological Behavior of Solids and Fluids .....	36
3.3	Comparison of Viscous and Viscoelastic Fluids .....	40
3.3.1	Viscous Fluids .....	41
3.3.2	Viscoelastic Fluids .....	42

---

3.4	Temperature Dependence of Shear Viscosity . . . . .	44
3.4.1	Temperature Dependence for Semi-Crystalline Polymers . . . . .	45
3.4.2	Temperature Dependence for Amorphous Polymers . . . . .	46
3.5	Influence of Molecular Parameters on Rheological Properties of Polymer Melts . . . . .	47
3.6	Shear Flows . . . . .	49
3.6.1	Flow Profiles of Pressure-Driven Pipe Flow . . . . .	50
3.6.2	Flow Profiles of the Simple Drag Flow . . . . .	51
3.7	Extensional Flows . . . . .	52
<b>4</b>	<b>General Overview of the Compounding Process: Tasks, Selected Applications, and Process Zones . . . . .</b>	<b>57</b>
4.1	Compounding Tasks and Requirements . . . . .	57
4.2	Tasks and Design of the Processing Zones of a Compounding Extruder . . . . .	59
4.2.1	Intake Zone . . . . .	60
4.2.2	Plastification Zone . . . . .	61
4.2.3	Melt Conveying Zone . . . . .	65
4.2.4	Distributive Mixing Zone . . . . .	65
4.2.5	Dispersive Mixing Zone . . . . .	67
4.2.6	Devolatilization Zone . . . . .	69
4.2.7	Pressure Build-Up Zone . . . . .	70
4.3	Characteristic Process Parameters . . . . .	72
4.3.1	Specific Energy Input . . . . .	72
4.3.2	Residence Time Characteristics . . . . .	74
4.4	Process Examples . . . . .	76
4.4.1	Incorporation of Glass Fibers . . . . .	76
4.4.2	Incorporation of Fillers . . . . .	78
4.4.3	Production of Masterbatches . . . . .	80
4.4.3.1	Premix Process . . . . .	80
4.4.3.2	Split Feed Process . . . . .	81
4.4.3.3	Color Matching . . . . .	82
4.4.4	Coloring . . . . .	83
4.5	Technical Trends in Compounding . . . . .	84
4.5.1	Gear Element . . . . .	84
4.5.2	Ring Extruder . . . . .	85
4.5.3	TPE Production . . . . .	85
4.5.4	ZSK-NT Technology . . . . .	86
4.5.5	Injection Molding Compounder . . . . .	87
4.6	Symbols and Abbreviations . . . . .	87
<b>5</b>	<b>Geometry of the Co-Rotating Extruders: Conveying, and Kneading Elements . . . . .</b>	<b>91</b>
5.1	Introduction . . . . .	91
5.2	The Fully Wiped Profile from Arcs . . . . .	92
5.3	Geometric Design of Closely Intermeshing Profiles . . . . .	94
5.4	Dimensions of Screw Elements with Clearances . . . . .	95
5.5	Transition between Different Numbers of Threads . . . . .	98

5.6	Calculation of a Screw Profile for Production According to Longitudinal Offset . . . . .	99
5.7	Conveying Characteristics of Different Geometries . . . . .	101
5.8	Kneading Elements . . . . .	102
<b>6</b>	<b>Modeling: Possibilities and Limitations . . . . .</b>	<b>105</b>
6.1	The Motivation for Modeling . . . . .	105
6.2	Screw Design . . . . .	106
6.3	Modeling Approaches . . . . .	107
6.4	Model Dimensions . . . . .	108
6.5	Extruder: 0-Dimensional . . . . .	110
6.5.1	Whole Extruder . . . . .	110
6.5.2	Pumping Efficiency . . . . .	112
6.5.3	Extruder Section . . . . .	112
6.6	Extruder: 2-Dimensional . . . . .	113
6.7	Extruder: 1-Dimensional . . . . .	114
6.7.1	Extruder: 1-Dimensional, Extruder Section . . . . .	114
6.7.2	Extruder: 1-Dimensional, Whole Extruder . . . . .	116
6.8	Extruder: 3-Dimensional . . . . .	117
6.8.1	Model Depths and Results . . . . .	117
6.8.2	Extruder: 3-Dimensional, Fields . . . . .	119
6.8.3	Extruder: 3-Dimensional, Scalar Values . . . . .	119
6.9	Simulation: Possibilities and Limitations . . . . .	120
<b>7</b>	<b>Pressure Generation and Energy Input in the Melt . . . . .</b>	<b>121</b>
7.1	Operating States of Conveying Screw Elements . . . . .	121
7.2	Dimensionless Representation with Descriptive Impact . . . . .	123
7.3	Calculation of the Back-Pressure Length . . . . .	128
7.4	Efficiency during Pressure Generation . . . . .	129
7.5	Example for the Design of a Pressure Build-Up Zone . . . . .	130
7.6	Feed Behavior with Shear Thinning . . . . .	131
<b>8</b>	<b>Computational Fluid Dynamics . . . . .</b>	<b>139</b>
8.1	Why Computational Fluid Dynamics? . . . . .	139
8.2	Workflow of a Computational Fluid Dynamics Process . . . . .	140
8.2.1	Pre-Processing . . . . .	140
8.2.2	Flow Computation and Post-Processing . . . . .	142
8.3	Computational Examples . . . . .	142
8.3.1	Example 1 . . . . .	142
8.3.2	Example 2 . . . . .	153
8.4	Conclusion and Outlook . . . . .	156
<b>9</b>	<b>Mixing and Dispersing: Principles . . . . .</b>	<b>159</b>
9.1	Introduction . . . . .	159
9.2	Distributive Mixing . . . . .	159
9.2.1	Mixing in Laminar Flow . . . . .	160

---

9.2.2	Axial Mixing and Residence Time Distribution .....	164
9.3	Dispersive Mixing.....	167
9.3.1	Dispersion of Solid Particles.....	167
9.3.2	Dispersion of Melts, Liquid Droplets, and Gas Bubbles.....	169
9.3.3	Types of Loads and Frequency of Loads in an Extruder .....	171
9.4	Determining the Mixing Quality .....	173
9.4.1	Parameters.....	173
9.4.2	Experimental Methods for Determining Mixing Quality and Residence Time Distribution.....	175
<b>10</b>	<b>Degassing Polymer Melts with Co-Rotating Twin Screw Extruders.....</b>	<b>181</b>
10.1	Requirements for Degassing .....	181
10.2	Function-Specific Design.....	183
10.2.1	Flash Vaporization .....	184
10.2.2	Multi-Stage Vacuum.....	185
10.2.3	Residual Degassing and Use of Stripping Agents .....	186
10.2.4	Process Set-Up and Design of Degassing Zones .....	190
10.3	Process Limits .....	193
10.4	Scale-Up .....	194
10.5	Process Examples .....	194
10.5.1	Devolatilization of Solvents from LLDPE Melt Solutions .....	194
10.5.2	Degassing Solvents from Synthetic Rubber (Styrene-Butadiene Compounds).....	195
10.5.3	Degassing Vinyl Acetate from LDPE/EVA Copolymer .....	195
10.5.4	Degassing POM .....	196
10.5.5	Degassing PC .....	197
10.5.6	Degassing PES and PSU .....	197
10.5.7	Degassing ABS .....	198
10.5.8	Degassing Un-Dried PET .....	199
10.6	Conclusion .....	201
<b>11</b>	<b>Simulation or Scale-Up – Alternatives for Extruder Layout? .....</b>	<b>203</b>
11.1	Process Sections of the Compounding Extruder.....	203
11.1.1	Feed and Solid Conveying Section .....	203
11.1.2	Plastification and Homogenizing Sections.....	207
11.1.3	Devolatilization and Discharge Sections .....	208
11.1.4	Computation Possibilities in the Melt Phase.....	208
11.2	Computation Possibilities for Discharge Parts.....	210
11.3	Scale-Up .....	211
<b>12</b>	<b>Screw Elements for Co-Rotating, Closely Intermeshing, Twin-Screw Extruders ..</b>	<b>215</b>
12.1	Design of the Screw Element .....	215
12.2	Combining Screw Elements.....	218
12.3	Screw Elements and How They Work .....	220
12.3.1	Conveying Elements.....	220
12.3.2	Kneading Elements.....	225

12.3.3	Backward-Pumping Elements . . . . .	227
12.3.4	Mixing Elements. . . . .	228
12.3.5	Special Elements. . . . .	232
<b>13</b>	<b>Overview of Patented Screw Elements . . . . .</b>	<b>237</b>
13.1	DE 813154, US 2670188 A. . . . .	238
13.2	DE 19947967A1, EP 1121238 B1, WO 2000020188 A1. . . . .	239
13.3	US 1868671 A. . . . .	240
13.4	DE 10207145 B4, EP 1476290 A1, US 20050152214 A1. . . . .	240
13.5	DE 940109 B, US 2814472 A. . . . .	241
13.6	US 3717330 A, DE 2128468 A1. . . . .	241
13.7	DE 4118530 A1, EP 516936 B1, US 5338112 A. . . . .	242
13.8	US 4131371 A. . . . .	243
13.9	DE 3412258 A1, US 4824256 A. . . . .	243
13.10	DE 1180718 B, US 3254367 A. . . . .	244
13.11	US 3900187 A. . . . .	245
13.12	US 3216706 A. . . . .	246
13.13	EP 2131 A1 B2, JP 54072265 AA, US 4300839 A . . . . .	247
13.14	DE 19718292 A1, EP 875356 A1, US 6048088 A. . . . .	248
13.15	DE 4239220 A1. . . . .	248
13.16	DE 1529919 A, US 3288077 A. . . . .	249
13.17	EP 330308 A1, US 5048971 A. . . . .	250
13.18	US 6783270 B1, WO 2002009919 A2 . . . . .	251
13.19	DE 10114727 B4, US 6974243 B2, WO 2002076707 A1. . . . .	251
13.20	DE 4329612 A1, EP 641640 B1, US 5573332 A. . . . .	252
13.21	DE 19860256 A1, EP 1013402 A2, US 6179460 B1. . . . .	253
13.22	DE 4134026 A1, EP 537450 B1, US 5318358 A. . . . .	254
13.23	DE 19706134 A1. . . . .	254
13.24	WO 1998013189 A1, US 6022133 A, EP 934151 A1 . . . . .	255
13.25	WO 1999025537 A1, EP 1032492 A1 . . . . .	255
13.26	US 6116770 A, EP 1035960 A1, WO 2000020189 A1 . . . . .	256
13.27	DE 29901899 U1. . . . .	256
13.28	US 6170975 B1, WO 2000047393 A1 . . . . .	257
13.29	DE 10150006 A1, EP 1434679 A1, US 7080935 B2. . . . .	257
13.30	DE 4202821 C2, US 5267788 A, WO 9314921 A1. . . . .	258
13.31	DE 3014643 A1, EP 37984 A1, US 4352568 A. . . . .	258
13.32	DE 2611908 A1, US 4162854 A. . . . .	259
13.33	WO 1995033608 A1, US 5487602 A, EP 764074 A1 . . . . .	259
13.34	DE 102004010553 A1. . . . .	260
13.35	DE 4115591 A1, EP 513431 B1 . . . . .	260
<b>14</b>	<b>The ZSK Series and Applications in the Chemical Industry and for Renewable Raw Materials . . . . .</b>	<b>261</b>
14.1	Development of High Torques, Volumes and Screw Speeds . . . . .	261
14.2	Torque-Limited and Volume-Limited Throughputs . . . . .	266
14.3	Process-Dependent Energy Requirement. . . . .	268

14.3.1	Throughput-Energy Diagram . . . . .	268
14.3.2	High Torque for Glass Fiber Reinforcement of Plastics . . . . .	270
14.3.3	High Torque for Film Extrusion of Non-Dried PET or PLA . . . . .	271
14.3.4	Applications of Low Torques and High Volume Requirement . . . . .	271
14.4	Chemical and Pharmaceutical Applications . . . . .	272
14.4.1	Silicone Sealants . . . . .	272
14.4.2	Pressure-Sensitive Adhesives . . . . .	272
14.4.3	Ceramic Catalyst Carriers . . . . .	273
14.4.4	Insulating Films . . . . .	276
14.4.5	Battery Separator Films . . . . .	277
14.4.6	Metal and Ceramic Mixtures . . . . .	278
14.4.7	Pharmaceutical Mixtures . . . . .	280
14.5	Applications for Renewable Raw Materials in the Plastic and Food Sectors . . . . .	281
14.5.1	Composite Materials Made from Wood Fibers in Polyolefins . . . . .	281
14.5.2	Biodegradable Materials Made from Thermoplastic Starch and Polylactic Acid . . . . .	282
14.5.3	Extrusion Cooking of Cereals for Foodstuffs and Animal Feed . . . . .	285
14.5.4	Applications in the Confectionery Industry . . . . .	286
<b>15</b>	<b>ZSK-NT the New Two-Stage Processing System for High Throughputs . . . . .</b>	<b>289</b>
15.1	Current Requirements for the Processing of Polyolefins . . . . .	289
15.2	Two-stage Large-Scale Plants for the Processing of Bimodal Polyethylene . . . . .	290
15.3	Quality Assessments for Bimodal Pipes . . . . .	291
15.4	ZSK-NT Compared with the Standard Technology . . . . .	292
15.5	Design of Pressure Build-Up Zones . . . . .	295
15.7	Outlook . . . . .	300
15.8	Notation . . . . .	300
<b>16</b>	<b>Material Selection for Twin Screw Extruder Components in Contact with Resin . . . . .</b>	<b>303</b>
16.1	Introduction . . . . .	303
16.2	What is Wear? . . . . .	303
16.3	Wear in Operating Experience . . . . .	304
16.4	Choice of Materials for Extruder Barrel and Screw Elements . . . . .	307
16.4.1	Materials for Extruder Barrel . . . . .	307
16.4.1.1	Barrel Designs . . . . .	307
16.4.1.2	Material Variations . . . . .	308
16.4.2	Materials for Screw Elements . . . . .	311
16.4.2.1	Designs . . . . .	311
16.4.2.2	Material Variants . . . . .	311
<b>17</b>	<b>Drive Units for Co-Rotating Twin-Screw Extruders . . . . .</b>	<b>315</b>
17.1	Introduction . . . . .	315
17.2	Drive Units for Small- to Medium-Size Co-Rotating Twin-Screw Extruders . . . . .	315

17.2.1	Electric Motors . . . . .	316
17.2.2	Drive Configuration . . . . .	317
17.2.3	DC Drives . . . . .	319
17.2.3.1	Power Converters . . . . .	320
17.2.3.2	DC Motors . . . . .	321
17.2.4	Asynchronous Drives . . . . .	322
17.2.4.1	Frequency Converters . . . . .	322
17.2.4.2	Asynchronous Motors . . . . .	324
17.2.5	Network Feedback and EMC . . . . .	326
17.2.6	Motor Monitoring . . . . .	326
17.2.7	Torque Measurement . . . . .	326
17.2.7.1	Torque Measurement for Extruder Protection . . . . .	326
17.2.7.2	Torque Measurement for Scale-Up . . . . .	327
17.2.8	Bearing Currents . . . . .	327
17.2.8.1	Bearing Currents Caused by Asymmetry . . . . .	327
17.2.8.2	Bearing Currents Caused by Common Mode Voltage . . . . .	329
17.2.8.3	Bearing Currents Caused by Circular Flux . . . . .	329
17.2.8.4	Avoidable Sources of Error . . . . .	330
17.2.8.5	Corrective Measures . . . . .	331
17.3	Drive Units for Large Co-Rotating Extruders . . . . .	332
17.3.1	Drive Types . . . . .	332
17.3.2	Medium Voltage Asynchronous Motor . . . . .	333
17.3.3	Medium Voltage Synchronous Motors . . . . .	335
17.3.4	Fixed-Speed Drives . . . . .	335
17.3.4.1	Starting Aids . . . . .	336
17.3.4.2	Direct on-Line Starting . . . . .	336
17.3.5	Variable Speed Drives . . . . .	337
17.3.5.1	Frequency Converters . . . . .	337
17.3.5.2	Converter-Transformers . . . . .	339
17.3.7	Emergency Running Properties . . . . .	340
17.4	Safety Clutches . . . . .	340
17.4.1	Slip Clutches . . . . .	341
17.4.2	Mechanically Disengaging Clutches . . . . .	342
17.5	Gearbox . . . . .	342
17.5.1	Design . . . . .	343
17.5.2	Gear Teeth . . . . .	344
17.5.3	Bearing . . . . .	345
17.5.4	Lubrication . . . . .	346