

HANSER

Stichwortverzeichnis

John Sommer

Troubleshooting Rubber Problems

ISBN (Buch): 978-1-56990-553-1

ISBN (E-Book): 978-1-56990-554-8

For further information and order see

<http://www.hanser-fachbuch.de/978-1-56990-553-1>

or contact your bookseller.

Index

A

abbreviations 279
abrasion resistance 13, 29
abrasive fillers 114
absorption 32
accelerated aging 35
acetone 58
acid acceptors 235
acidic clays 23
acid rain 35
ACM 35
adhesion 21, 55, 103,
265
– promoters 58
AEM 22
aggregates 27
aging 12, 151
aids to troubleshooting 2
air access 18
aircraft recorder belts 194
aircraft runway seals 190
air marking 88
air springs 163
air trapping 92, 178
air viscosity 87
allergic reactions 192
alternative material 8
aluminum trihydrate 36
anatase 238
antidegradants 31
antioxidants 31, 274

antiozonants 31, 274
– a handling problem 33
appliance wires 33
APU 166
aramid 151, 165
aromatic 55
ASTM 184
ATOM 166
attachment of heavy molds 277
autocatalytic oxidation 14
automation 7
automotive air ducts 234
axial compression 160

B

baby bottle nipples 192
backrinding 88, 98
balloons 153
bar code 68
barrel
– length 79
– temperature 250
bead bundles 172
bead filler 172
bead wire 170
bearings 15
bellows 184
belt 151, 176, 193
– durability 174
– edge separation 171

- skim 172
- slippage 195
- BIRD (Bridgestone Innovative and Rational Development) 166
- bladder 175
 - molding 174
- blended colors 209
- blind holes 124
- blisters 133, 135, 173, 260
- bloom 11, 23, 34
- blow molding 260
- blown films 271
- body cords 172
- body ply skim 171
- bond failure 149
- bonding 7
 - coatings 265
- bondline corrosion 61
- bovine foot rot 154
- brake hose 200, 206
- bridge bearings 95, 185
- brittle 15
- broad MWD 112
- bromobutyl rubber 171
- buffing 38
- bungees 155
- butt splices 191

C

- C3M (Continuous Cold Componding) 166
- cable jackets 152
- CAD 111
- calcium oxide 13, 82
- calendering 2, 133
 - equipment 133
- carbide 107
- carbon black 22, 27, 28, 77, 158, 171
 - pellets 73
- carboxylated latex 45
- carrier resin 237
- cartridge heaters 100
- cartridge life 119
- casket seals 190
- castable polyurethanes 42
- casting 211
- causes of fouling 131
- cavity filling 102
- cavity-filling progression 252
- cavity finish 117
- cavity-transfer mixer 82
- center gating 259
- centrifugal casting 42
- centrifugal growth 168
- channel geometry 83
- channels 94
- characterization 20
- chemical deterioration 149
- chemical stability 33
- chlorinated solvents 59
- chlorination 56, 192
- chlorine 151
- circuit path 247
- clamp force 245
- cleaning capability 86
- clean-out batch 209
- clean-room 45
- clearance 156
- closed cell 212
- CM 21
- coagulant dipping 216
- coating 239
 - rolls 42
- coatings 46
- coaxial machine 113
- cobalt 31
- coefficient of friction 192, 235
- co-extrusion 266
- cold-feed 80
- cold flow 2
- cold runner 126
- cold transfer molding 102, 105, 108
- color 209, 237, 239, 247
 - change 34

- pigments 238
- streaking 264
- colored compounds 83
- communication 149, 257
 - difficulties 110
- composites 151
- compound flow 105
- compounding ingredients 58
- compound properties 36
- compound viscosity 29
- compressed air 59
- compression molding 89
- compression ratio 245, 264
- compression set 66, 187
- compressive modulus 40
- compressive stress 40
 - relaxation 187
- conditioning hose 200
- conductive SEBS 276
- constrained layer damping 41
- contamination 73
- continuous extrusion 82
- conveyor belts 152, 193
- coolant channels 247
- cooling capacity 256
- COP 236, 249
- copper 31
- cork 189, 190
- Corpo technology 150
- corrosion 69
- corrosive compounds 36
- cost 8, 9, 110, 237, 273
 - factors 129
 - performance 235
 - reduction 7
- cotton 150
- coupling agents 173
- cow-Related 154
- cracked rotor 3
- crack growth 149
- creep 99, 187
- crosshead extruder 81

- crosslinking 4, 16
 - system 16, 25
- cross section 235
- cryogenic tumbling 121
- crystalline melting point 237
- crystalline regions 15
- crystallization 14–16
 - CSM 11, 22
 - CTP 27
- curative solubility 22
- cure inhibition 19
- cure times 19
- curing presses 90
- cut growth 14
- CVJ boots 236, 274

D

- damping 36, 37, 41
- daylight 91, 98
- dead spots 83
- definitions 283
- deflashing 87
- degree of freedom 156
- delivery dates 259
- demold 183
- demolding 44, 45, 97
- design 2, 3
 - considerations 182, 275
- dichlorobenzoic acid 19
- dicumyl peroxide 87
- Die B 40
- Die C 40
- die cross section 78
- die-cut 16
- die design 83
- die entry 78
- die length 79
- diesel engines 199
- die swell 29, 77–79
- different grades of NR are reported to
 - impart different degrees of die 79

dimensional stability 243
 dimensions 253
 diphenylthiourea 245
 dip molding 47, 215
 dipped articles 216
 dipping 46
 – process 217
 disclaimer 6
 discoloration 32
 disperse 237
 dispersion 25, 65, 72
 dissimilar metals 109
 distortion 88
 DOTG 35
 dowels pins 98
 down-hole applications 21
 draft 183
 – angles 258
 drawbar 160
 draw ratio 90
 drool 253
 dry colorants 238
 drying 236
 – of pellets 236
 – times 62
 dust collection 69
 dust stop 70
 dynamic testing 200

E

EAM 35
 earthquake mounts 186
 ejector pins 257
 elastomer 8
 – alloy 76
 – blends 22
 – type 9
 electrical contacts 56
 electrical properties 203
 electric cartridges 118
 electrochemical failure 203

elongation 29
 engine mounts 198
 – hydraulic 199
 environmental concerns 62
 EPDM 11, 76, 161
 EPDM-SBR blend 22
 equipment 243
 ester 55
 ethanol 173, 245
 ethylene glycol 62
 EVA bags 68
 EVM 189
 EV system 26
 expansion joints 187, 209
 experiment design 8
 extensometers 37
 extraction 31
 extrudate appearance 79
 extrudate quality 74
 extruded blades 191
 extruded corners 85
 extruder tolerances 86
 extrusion 2, 73, 243, 263
 – blow molding 261
 – process 74
 – temperature 77

F

fabric 90, 106
 – weaves 206
 face-relieved dies 74
 factice 30, 75
 fatigue life 24
 FEA 152, 162
 feeding 77
 – difficulty 75
 – irregular 75
 – material 134
 – zone 76
 fibers 169
 FIFO 113

fillers 27, 42, 44
 fillets 159
 fine grained 116
 fire retardant 271
 fish lures 275
 FKM 13
 flame-retardant 20
 flammability 36, 60
 flash 20, 23, 45, 85, 87, 93, 96, 108, 121,
 253, 260, 263
 flashing 250
 flex crack resistance 193, 195
 flexible mandrels 208
 flex life 17
 flex resistance 18
 Flexzone 3-C 33
 flock 57
 floor mats 156
 flow behavior 182
 flow lines 253
 flow patterns 103, 104
 fluid channels 246
 fluid ingress 149
 fluoroelastomer 14, 36
 food trays 272
 foreign matter 65
 free radicals 33, 105
 freeze-thaw stability 60
 freshening (remilling) 17
 friction drive 192
 frosting 34
 fume collectors 27
 fumed silica 18, 19

G

gaskets 189
 gates 119
 gear pumps 86
 gel-like TPE 235
 general design considerations 182
 gland 99

glass flake 191
 glastherm 99
 Gough-Joule effect 189
 grease 257
 green strength 12, 14, 114
 grinding mills 153
 grit blasting 59

H

hardening 197
 hardness 29
 - of fillers 70
 heat
 - aging 19
 - buildup 169, 174
 - conductivity 176
 heater bands 100
 heating hose 205
 heating methods 118
 heat transfer 94, 254
 heat welding 267
 helicopter 185
 high extruder output 83
 high filler contents 131
 high injection pressures 251
 high-molecular-weight 79
 high-quality steel 110
 high-sulfur 16
 high-viscosity elastomers 42
 hinged molds 120
 HNBR 20, 21, 35
 hole 124, 192, 254
 hood stops 272
 hopper 69, 71
 hose 43
 - abrasion 208
 - design 207
 - failure 208
 - mandrels 207
 - manufacture 207
 hot air vulcanization 75

hot-feed 80
hot runner 125
hot tear strength 44
H-pattern 127
humidity 11
hydraulic 243
– engine mounts 199
– hose 200, 274
hydrogen bonds 17
hysteresis 29

I

IIR 11, 135
IMPACT 166
impact absorber 33
induction
– heaters 101
– heating 168
inflatable
– dam 164
– traffic hump 164
information sources 2
ingredients 8, 9
injection-compression molding
102
injection molds 115
injection-molded bellows 128
injection-molding 17, 110, 179, 243
– machines 113, 244
– simulations 258
injection rate 251
injection-transfer 106
inner liner 171
inner tubes 191
in-place cleaning 132
inserts 183
insoluble sulfur 23
insulation 99, 101
intermix 68
inventory 23, 25
iridescent

– blooms 34
– sheen 34
iron oxide 18
irregular feed 75
isobar 101, 117

J

jetting 251

K

keyboard spring 163
kinking 267
knitting 88

L

lands 120
land width 120, 121
lap splices 191
large batches 25
laser cleaning 132
laser engraving 135
L/D ratio 80, 245
leach 35
leader pins 119
lime 253
loading fixture 95
locating pins 98
low-creep mounts 187
low extrudate temperature 83
low-frequency heater 58
low-protein NR 163
low-resistivity rubber 67
low-sulfur 16
low-viscosity 21, 41
low volatility 33
LSR 19, 43, 44
lubricant 179
lumps 77

M

- magnesium oxide 113
- magnets 183
- magnetic clamping 132
- magneto-rheological fluids 199
- manganese 31
- material 2, 3
- medical
 - devices 121
 - hose 208
- melt flipper 127, 259
- metal-forming lubricants 59
- metallic mass 62
- microbes 33
- microgrinding 116
- microvents 178
- microwave 16
 - heating 97
- migrating ingredients 56
- migration 152
- milking inflations 154
- mill 71, 244
 - roll 71
- MIRS 166
- mixers 69
- mixing 2
 - equipment 27
 - machines 43
 - problems 68
 - temperature 29
- modified from 187 79
- modulus 15, 65, 172, 256
 - measurements 37
- moisture 18, 24, 42, 61, 249
 - barrier 236, 249
 - in TPEs 236
- mold
 - cleaning 131
 - construction 20, 98
 - damage 96
 - design 247, 251, 257
 - edge 258
 - fouling 20, 129, 255
 - handling 117
 - heating 100, 117
 - maintenance 256
 - materials 116
 - parting line 177
 - platens 99
 - plate thickness 98
 - release agents 89
 - runners 125
 - size 92
 - spray 88
 - storage 257
 - surface treatments 256
 - temperature 113, 253
 - wear 258
- mold cavity position 63
- molding 73
 - behavior 29
 - cycle times 237
 - factors 44
 - methods 89
 - presses 180
 - simulation 20
- molecular weight 12, 23
- Mooney viscosity 29
- mounts 156
 - earthquake 186
 - engine 198, 199
 - low-creep 187
- MTM 166
- multicavity molds 95
- multicut transfermix 81
- multilayered fuel hoses 204

N

- naphthenic 30, 55
- nature of rubber 4
- Naugard 445 35
- nauseated 26

NBR 20
 Neoprene 10
 net shape processing 85
 neutral angle 207
 nickel 31
 – dies 65
 nip 71, 134
 nitrogen 181
 nitrosamine 26
 noise 173
 nonfill 111, 250
 nonreturn valve 252
 nozzle 248
 – bearing 97
 – temperatures 250
 NR 168
 nylon 165
 – cap strips 171

O

occluded air 87
 offsetting of leader 120
 oil resistance 21
 oils 30
 organic colors 19
 O-Ring 14, 100, 102, 151, 153, 189, 194
 out of balance 210
 output rate 77
 overcure 66, 89, 195
 overflow 122
 – cross sections 123
 – design 123
 overmolding 57, 248
 – LSR 63
 overpacking 252
 oxidation 186
 oxygen 31
 ozone 31, 191
 – cracking 35
 – resistance 10, 45, 193

P

painting 239
 pale crepe 238
 paraffinic 30, 55
 particles 75
 – size 28
 parting line 44, 108, 182
 peel test 63
 pellet 27
 – drying 249
 penetration time 201
 perfluoroelastomer 189
 permanent set 195
 permeability 164
 peroxide 18, 21, 23
 – –cured hose 203
 pharmaceutical stopper 122
 phase separation 249
 phosphatizing 59
 phthalic anhydride 26
 physical properties 37, 103
 pin-barrel extruder 83
 ping 164
 pitted extrudate surface 264
 plasma 57
 plastic carriers 84
 plasticizers 30, 55, 112, 210
 plastisol 46, 217
 platen
 – deflection 99
 – sizes required 179
 – temperatures 99
 platinum catalyst 19
 plunger 109
 polarity 82
 polyamide fibers 163
 polyester 165
 polyisoprene (NR and IR) 14
 polymer combinations 236
 polyurethane tires 180
 porosity 77, 88, 265

postcuring 18
 posts 91
 pot lives 42
 pot-plunger clearance 107
 power-steering hose 206
 precuring 62
 predispersions 25
 preform 92
 – shape 109
 – weight 98
 preheated compound 106
 preheating 60, 98
 prepolymer 43
 presses 152
 press platens 99
 pressure sensors 103
 prestretching 38
 problem-solving 1
 process 3, 9, 243
 – aids 29
 processability 19
 processing 2, 67
 product considerations 149
 product costs 215
 productivity 74
 projected area 102, 245, 252
 pro-oxidant 16
 prosthetics 274
 pumpable LSR 43
 purchasing specification 69

Q

quadruple-lap specimen 64

R

radial lip seals 188
 radiator hose 202
 radii 84, 159, 183, 258, 266
 radiusing 37

raised lettering 247
 ram 70, 71
 – extruders 81
 – weight 28
 rayon 165
 reactive plasticizers 30
 rebuild 71
 recipes 8
 recyclable 255
 recycling 7
 refrigerant hose 205
 regenerative brake systems 155
 reinforcement 149, 151, 194
 reinforcing materials 150
 residence time 84
 retarder 27, 98
 retractable cores 251
 reverse taper 249
 reversion 18
 – resistance 16
 revert 18
 Reynolds (R_e) number 247
 RFID 209
 RFL-treated 193
 ribs 266
 RIM 42
 RMA hose handbook 201
 robots 170
 rocket insulation 213
 roller deflection 211
 roller-head extruder 83
 rollers 273
 rolling resistance 13, 173, 174
 roofing 161
 rotors 69
 roughening 57
 rough surface 265
 rubber 5, 8
 – bullets 155
 – cellular 212
 – cements 135

- coatings 45
- composites 63
- ground 29
- halobutyl 171
- hard 213
- lining 153
- mirror 154
- molding 87
- natural 5, 14
- overmolded 57
- polar 55
- preheating 97
- silicone 17, 76
- rubber band 156
 - ligation 156
- rubber-covered
 - horseshoes 155
 - rolls 210
- Rubber Manufacturer's Association 129
- run-flat tires 179
- runners 109
- runner volume 125
- rutile 238

S

- SAE 184
- safe materials handling 248
- safety 236, 244, 276
- sagging 261
- SBC 234
- SBR 12
 - cold 12
 - emulsion 12
 - solution 12
- scaling up 67
- scorch 26, 45, 86, 95, 97, 134
 - life 3
 - resistance 21
 - safety 23, 24
 - -sensitive compounds 70
- scrap 110, 125, 133
- screw
 - length 76
 - speed 79
 - wear 75
- seals 187, 273
 - aircraft runway 190
 - casket 190
 - design 273
 - radial lip 188
 - sunroof 188
 - TPU 190
- seal design 273
- sealing board 107
- seat belt sleeve 262
- SEBS 234
- self-bondable 20
- self-degating 126
- self-sealing fuel cells 202
- semi-EV 26
- serpentine belt 194
- service life 174
- service temperature 198, 237
- sharpness 38
- shearing 41
 - modulus 30, 64
 - stiffness 185
- Shore A 20
- short breaks 65
- shoulder inserts 172
- shrinkage 95, 104, 251, 253
- shrink marks 260
- shuttle tire pressure 172
- Silentbloc 197
- silicon
 - oil 19
 - purity 20
- silver 56
 - -based additive 33
- single-ply roofing 161
- skateboard wheels 42
- skid marks 239
- sleeves 210

- small machines 246
- soccer balls 272
- software 258
- solubility 33
- solvent-based adhesives 60
- solvent penetration 16
- space shuttle tires 172
- spark plug boot 98
- SPC charts 69
- specialized testing machines 67
- specifications 184
- spherical bearing 160
- spider die 74
- splay 260, 275
- sprinkler heads 214
- sprues 106, 109
 - diameters 110
 - selection 109
- stacking methods 70
- staining 32
- stainless steel 62
- static electricity 208
- steel 5
 - selection 117
- steer-by-wire 207
- sticking 88
- sticky compound 75
- stiff soil 186
- storage 31
- strain crystallization 14
- strengthening members 275
- stress concentration 159
- stress relaxation 66, 188
- stress-strain 38
- structure 28
- substrates 55
- subtread 173
- sulfur 23
 - dispersion 24
 - donors 24
 - solubility 24
- sunroof seals 188

- surface treatments 56
- surgical gloves 163
- surging 264
- swelling 195, 201

T

- tack 14, 135
- tackifiers 135, 167
- tackifying resins 29
- taper 108
- tapered interlocks 120
- tapered sprue 109
- taste 41
- tear resistance 29
- tear tests 40
- tennis balls 164
- tensile strength 65
- testing 38, 64
- T_g 13, 15, 87, 173, 254
- thaw 15
- thermal conductivity 99, 114
- thermal considerations 97
- thermocouples 97, 118
- thermoplastic elastomers 233
- three-plate mold 127
- through holes 124
- tie gums 61
- timing belts 193, 195
- tire 164
 - aging 169, 181
 - belted-bias 170
 - diameter 172
 - earthmover 181
 - green 176
 - large aircraft 172
 - manufacturing systems 166
 - radial 170, 176
 - – body ply skim 171
 - recycling 182
 - semi-pneumatic 180
 - solid 42, 180

- solid rubber 61
- truck 174
- tubeless 171
- wear 168
- titanium dioxide 238
- TMTD 245
- toggle 243
 - clamps 245
- torque 27
- toughness 116, 260
- toxicity 46
- toxicological classification 19
- TPE 4
- T-peel 63
- TPO 235
- TPU 235
 - degradation 254
 - seals 190
- TPV 234
- trace metals 205
- training 5
- transfer mold design 107
- transfer molding 102
- transmissibility 158
- transparency 20
- trapped air 111
- “triple 8” cure 11
- trowelable rocket insulation 213
- truck tires 174
- TSE 4, 236
- turbocharger hoses 204
- two-phase materials 233
- two-plate designs 259
- two-plate mold 126
- two-shot molding 247
- two-step mixing 71

U

- ultrasound 89
- ultraviolet light 18
- undercure 45, 111

- undercut 3, 93, 183
- underfill 45
- under-hood temperatures 200
- underinflated tires 181
- underpacking 251
- Underwriters Laboratories 276
- uniformity 67
- uniform velocity 74
- upside-down mixing 72
- UV-curable silicone 265

V

- vacuum 18, 128
 - environment 101
 - extruder 82
 - shrouds 129
- vapor degreasing 59
- V-belts 193
- vent 252, 257
 - plugs 178
- venting 128, 178
- vibration damping 234
- vibration isolators 196
- viscosity 9, 77, 135
- voids 264
- voids (porosity) 65
- volatiles 18, 105
- volatile ingredient 65

W

- wall gauge 77
- wall thickness 37, 84, 124, 183, 261, 266
- warming rooms 16
- warpage 250
- water-based adhesives 60
- water treatment 101
- waxes 31
- weather strip 34, 85
- weld line 248
- wet grip 13

whiteness 29
windshield wiper blades 191
wiping 103, 119
wire and cable 212
work softening 197

X

X-ray inspection 181

Y

Yarn 150

Z

zinc oxide (ZnO) 10, 152
zinc phosphated steel 62
zinc stearate 58, 152, 239
zone heating 118